

# SNYDER

**Equipment, Inc.**

*Storing, Rolling, Lifting since 1947*



## **Bluff dock plates**

2946 Larimer St. Denver, CO 80205

303-295-1100 / 800-373-7693

FAX 303-295-2464


Email [info@snyderequipment.com](mailto:info@snyderequipment.com)

[www.snyderequipment.com](http://www.snyderequipment.com)



## Aluminum Dock Plates

*Aluminum products are ideal for low to medium volume dock loading application.*



### **ALUMINUM DOCK PLATE (A-B)**

- Recommended for nonpowered loading applications
- Available in two capacity ranges
- Low-cost solution to light activity applications
- Bolt-on steel legs for securing position between the dock and the trailer

Lip bend is 11°. Standard lip length for conventional trailers is 11", option of 14" for refrigerated applications. Aluminum dock plates are designed to work well with pallet trucks or other nonpowered loading equipment. Machine beveled deck edges allow for smooth transition. Wide range of sizes available.



Capacities are size specific. Call Bluff Customer Support or go to [www.bluffmanufacturing.com](http://www.bluffmanufacturing.com).

Manufactured and tested in compliance with ANSI Standard MH30.2

### ***SERVICE YOU CAN STAND ON***

(800) 433-2212 • [www.bluffmanufacturing.com](http://www.bluffmanufacturing.com) • Fax 817-293-7570  
1400 Everman Parkway • Suite 156 • Fort Worth, TX 76140

**ALUMINUM DOCK PLATES  
MODELS A & B**



**A6048**




PLATE LENGTH	LEG LENGTH
24"–36"	7"
42"–48"	9"
54"–60"	11"
66"–72"	13"
78"–96"	17"

SIZES UP TO 48" X 36" MAY BE SHIPPED VIA PARCEL SERVICE




**BLUFF**  
MANUFACTURING, INC.



## Spring-Loaded Aluminum Dock Plates

**EASY TO USE, HARD TO LOSE**

“SL” plates are ideal for route delivery systems like those found in beverage, bakery and snack distribution.



Options Shown:  
SLKP Kick Plate  
SLTAPE Traction Tape

### **SPRING-LOADED ALUMINUM DOCK PLATE (SL)**

- Recommended for loading applications involving hand trucks/dollies
- Available in two capacity ranges
- Vertically stored, always available for use.
- Top-of-dock mounted with dual-spring lift assist.
- Tailor-made solutions for your dock. FAST!
- Worksheet detailing application required before orders produced. Some dock/truck combinations require special bends and springs. Contact dealer services for worksheet.

Machine beveled deck edges allow for smooth transition. Wide range of sizes available.


Capacities are size specific. Call Bluff Customer Support or go to [www.bluffmanufacturing.com](http://www.bluffmanufacturing.com).

Manufactured and tested in compliance with ANSI Standard MH30.2



### ***SERVICE YOU CAN STAND ON***

(800) 433-2212 • [www.bluffmanufacturing.com](http://www.bluffmanufacturing.com) • Fax 817-293-7570  
1400 Everman Parkway • Suite 156 • Fort Worth, TX 76140

# ALUMINUM SPRING LOADED PLATE MODEL SL



SL3048  
 ——— LENGTH  
 ——— WIDTH  
 ——— MODEL



**Optional Kick Plates - SLKP**

FOR INFORMATION ON OTHER MODELS, CONTACT BLUFF CUSTOMER SERVICE.