



SNYDER



Equipment, Inc.

Storing, Rolling, Lifting since 1947

PRODUCT INFORMATION

AKRO CARTS AND TRANSPORT SYSTEMS

2946 Larimer St. Denver, CO 80205

303-295-1100 / 800-373-7693

FAX 303-295-2464

Email info@snyderequipment.com

www.snyderequipment.com



Carts & Transport Systems



30-31
ProCart™
 The first box-top to flat-top utility cart.



31 **New!**
Compact Tote Truck
 All-purpose truck with fold-down handle.



32-33
AkroClean™
 Save time with this new janitor cart.



34
Akro-Carts
 Non-tipping carts for waste collection, transport, and disposal.



34
Versa-Karts®
 The perfect container for mobile waste transport.



35
Akro-Tilt Trucks
 Lightweight tipping trucks for heavyweight jobs. Akro-Lift for easy dumping.



36-37
VERSA/Deck™
 Versatile cart with multiple handle, rail, and caster options.



38-40
Platform Trucks
 Wood deck, wood deck steel frame, and steel trucks.



41
Work Height Platform Trucks
 Fixed and adjustable height decks.



42
Wood Platform Decks
 Hardwood platform decks made to order.



43 **New!**
Shelf & Multi-Shelf Carts
 Sturdy, all-welded steel shelving carts.



44 **New!**
Portable Tables & Carts
 Steel carts for pulling stock, assembly operations, or other heavy tasks.



45
High-End Narrow Aisle
 Slim truck for use where space is limited.



45
Tray Service Cart
 Heavy-duty service cart holds dishes, books, or supplies for easy transport.




45
Box Trucks
 Steel box on wheels for distribution, order picking, or manufacturing.

Carts & Transport Systems


ProCart™

- A customizable work center for the assembly line, warehouse, or wherever you need portable storage.
- Side gates flip up or down to convert to a flat-top or box-top cart.
- High-density polyethylene structural foam construction is dent-resistant, rust-proof, and never needs painting.
- Optional nine-rail hanging system (pg. 31) holds up to 80 AkroBins.
- Optional middle shelf (100 lb. capacity).
- 400lb (180 kg) maximum cart load. 200 lb. (90 kg) capacity per top and bottom shelf.
- Assembly required.



Large ProCart (Model 30936) with top and bottom side gates in "box-top" position.

Small ProCart (Model 30930) with top shelf side gates in "flat-top" position.




ProCart™ Ordering Information


Model No.	Description	Dimensions		Color	Ctn. Qty.
		Inches	mm		
30936	Large cart	45 x 24 x 34 ³ / ₄	1143 x 610 x 883	Gray/Beige	1
30930	Small cart	40 x 19 ¹ / ₂ x 34 ³ / ₄	1016 x 495 x 883	Gray/Beige	1

Easy assembly – requires Phillips screwdriver and rubber mallet

Large Cart Model No. 30936



Small Cart Model No. 30930



ProCart converts from box top to flat top – quickly adapting to the task at hand.


ProCart™

ProCart Accessories:




ProCart Middle Shelf

Add a middle shelf to the ProCart for more efficient use of lower cart space. Two height options. 100 lb. capacity. 40" L x 20" W x 3" H (1016 x 508 x 76mm). Fits large ProCart only. Color: Gray. Model No. 30936SHELF



Middle Shelf maximizes lower cart space



Shelf can be installed in two positions.

AkroBins® Ordering Information

To create a customized ProCart with AkroBins, use the chart below to determine the quantity of AkroBins that will fit your ProCart. Carts, rail kits, and bins must be ordered separately. When ordering, please specify Red, Yellow, Blue, or Stone colored bins.



Optional 9-Rail Hanging System Ordering Information


The 9-Rail Hanging System is required to hang some AkroBins and modular cabinets on your ProCart. For large cart rails, order Model No. 30906 – for small cart rails, order Model No. 30900.



Use this chart when ordering one size AkroBins for your ProCart:

Bin Model No.	30210	30220	30224	30230	30234	30235	30239	30240	30250	30255
Bin Dim. (L" x W" x H")	5 ³ / ₈ x 4 ¹ / ₈ x 3	7 ³ / ₈ x 4 ¹ / ₈ x 3	10 ⁷ / ₈ x 4 ³ / ₁₆ x 4	10 ⁷ / ₈ x 5 ¹ / ₂ x 5	14 ³ / ₄ x 5 ¹ / ₂ x 5	10 ⁷ / ₈ x 11 x 5	10 ³ / ₄ x 8 ³ / ₄ x 7	14 ³ / ₄ x 8 ³ / ₄ x 7	14 ³ / ₄ x 16 ¹ / ₂ x 7	10 ³ / ₄ x 16 ¹ / ₂ x 5
30936 (large cart)	80	80	48	36	36	18	16	16	8	12
30930 (small cart)	70	70	42	30	-	12	12	-	-	-

Compact Tote Truck



Push/pull handle has three positions for easy maneuvering

- All-purpose material handling and transport cart with fold-down handle.
- Deck is constructed of lightweight, high-density structural foam.
- Two fixed, two swivel casters make cart easy to maneuver. (Swivel casters on R90041 are toe-touch locking casters).
- Deck Size – all models: 35¹/₂" L x 22¹/₂" W (904 x 568 mm)

Steel handle is epoxy-coated to resist rusting and folds down flush to deck

Non-skid platform surface prevents load from shifting during transport



Use the molded-in handle to hang the Compact Tote Truck or to secure tie-down straps (not included)

Hang the Compact Tote Truck from its ergonomic handle to store on walls and inside delivery vans.



Supply Caddy

Store supplies in the Heavy-Duty Supply Caddy. Six deep pockets hold clipboards, tape guns, and other bulky items. Durable canvas with nylon hanging straps and velcro fasteners. 16" W x 26" H. Fits all Compact Tote Trucks. Order separately. Model No. R90000. Color: Black. 1 per carton.



Compact Tote Truck Ordering Information

Model No.	Wheel		Load Rating	Overall Height		Deck Height	
	In.	mm		In.	mm	In.	mm
R90031	3 x 1	76 x 25	300	34	864	7	178
R90041	4 x 1	102 x 25	500	35	889	8	203
R90062	6 x 2	153 x 51	1000	37	940	9	229

Easy assembly – requires Phillips screwdriver and rubber mallet

AkroClean™


Introducing AkroClean, the All-New Cleaning Cart from Akro-Mils. AkroClean is an intelligent combination of smart features designed to hold more supplies, keep trash concealed, separate wet and dry zones, and support a full mop bucket for easy transport. Add the sleek design, no-tip stability, and removable front platform, and you have one very effective cleaning, hauling, supply-storing cart.



The compartment door is easily removable for cleaning and open access to shelves.



The rear middle shelf is removable without tools.



The door latch fits standard security locks to create a locking storage cabinet.



Lift the lid and release the anchor strap to remove the liner.

Easy trash removal through side door – just release the anchor strap and pull the bag out.

AkroClean™ Ordering Information and Specifications:**

Dimensions:	55" L x 23 1/2" W x 42" H (1397 x 597 x 1067mm)
Cart w/o Front Platform:	40" L x 23 1/2" W x 42" H (1016 x 597 x 1067mm)
Material:	Structural Web Plastic
Wheels:	Two, 10" dia. high-density rubber wheels; four, 4" casters
Model Number:	30955BRGRY – Ice Burgundy ■ 30955BLGRY – Ice Slate ■
Additional Interior Shelf*:	Model No. 30955SHELF (order separately)

* One interior shelf included with AkroClean cart.
** Assembly required.



The front platform is removable to create a smaller cart.*
*Some tools required.



The inside shelf has three adjustable positions within the central compartment. Order a second shelf to extend your storage options. (Cart shown with door removed).



Nickel-plated handle provides a clean surface for a grip clear of the trash area.

Door conceals unsightly trash

Center trash compartment acts as a barrier between wet and dry storage areas
• Fits standard, 32-gallon liner.
• 75-lb. capacity.

Utility hooks hold dust pans, brushes, or towels, and swing back into the handle when not in use

Inside dimensions 34 1/2"H x 15 3/4"W x 15"D

The front platform holds a mop bucket or 32-gallon container

Molded with high-density co-polymer, AkroClean is strong and easy to clean

The heaviest part of the cart is centered directly over the wheels for added stability

10" high-density rubber wheels on a steel axle provide quiet, easy, maneuverability


Four, 4" non-marking casters are easy to remove and replace

Quick access to supplies from rear shelf

Akro-Carts



Frame is made from 16-gauge zinc-plated steel tubing on medium-duty models and powder-coated steel on heavy-duty models.



Heavy-duty piano hinge keeps lid propped open during use.

- Make transport and disposal within a facility fast, safe, and clean.
- Medium-duty and heavy-duty styles to fit your needs.
- Latch bars extend around the frame for added strength.
- Wide mouth and low profile for easy loading.
- Medium-duty carts have riveted joints.
- Heavy-duty cart has welded joints.
- All carts are compatible with Hydraulic Akro-Lift (page 35).
- All carts available in Gray (Black Lid), Blue (Blue Lid) and Green (Green Lid).



Convex shape lid for strength and overpacking

Front caster balances the load making the cart easy to push or pull



Akro-Cart 90
Medium-Duty
76490



Akro-Cart 60
Medium-Duty
76460



Akro-Cart 90
Heavy-Duty
76591

Wheels and Axles: Medium-duty 60 and 90 gal. Akro-Carts feature 12" dia. wheels, high-impact plastic hubs with semi-pneumatic tires and 16-gauge steel tubing axle.

Wheels and Axles: Heavy-duty 90 gal. features 5/8" dia. solid steel shaft axle.

Akro-Carts


Model No. Without Lid*	Model No. With Lid	Description	Inches			mm			Load Rating	Approx. Ship Wt.
			W	D	H	W	D	H		
76460	76461	Medium-Duty 60 Gal. Cap.	30½	48	33½	775	1219	851	300 lbs.	51 lbs. (w/lid)
76490	76491	Medium-Duty 90 Gal. Cap.	30½	47	39½	775	1194	1003	350 lbs.	56 lbs. (w/lid)
76590	76591	Heavy-Duty 90 Gal. Cap.	30½	47	39½	775	1194	1003	450 lbs.	71 lbs. (w/lid)

Please specify colors when ordering.
*Carts without lids cannot have lids added after production. Single units are shipped completely assembled. When multiple units are ordered, lids are shipped separately and require assembly.

Versa-Karts®



- The perfect container for mobile waste management.
- Narrow container and load-balanced design for easy handling.
- Attached lid swings out of the way for easy dumping.
- Rotational molding for uniformly thick, seamless, weld-free walls.
- Polyethylene container body is impervious to oil and most chemicals, and will not fade, chip, or crack.
- All carts are compatible with Hydraulic Akro-Lift (page 35).
- 35, 60, and 90-gallon sizes.
- Colors: Green, Blue, and Gray. Lid: Black.



Attached lid's convex shape allows over-loading and prevents water pooling

Plated steel axle resists corrosion. 35-gallon: 5/8" OD, 60 & 90-gallon: 3/4" OD

Steel latch bar for use with semi-automatic lift systems

12" diameter wheels are molded from recycled, post-consumer plastic (8" diameter on the 35-gallon model)

Versa-Karts®

Model No. Green*	Model No. Blue*	Model No. Gray*	Capacity Gallons	Inches			mm			Load Rating	Approx. Ship Wt.
				W	D	H	W	D	H		
V2124VK3518	V2119VK3518	V2118VK3518	35	22¼	23	37½	565	584	902	120 lbs.	23 lbs.
V6023VK6026	V6112VK6026	V6258VK6026	60	31	32	37½	787	813	953	200 lbs.	35 lbs.
V1005VK9032	V1104VK9032	V1287VK9032	90	31	32	44	787	813	1118	200 lbs.	40 lbs.

*Black lid is standard with all models.

Akro-Tilt Trucks



Trucks tip for easy manual emptying.



Full, wrap-around tubular frame is 1" treated steel reinforced with 3/4" pipe insert.

- Lightweight tipping trucks for heavy-weight jobs (up to 2000 lbs.).
- Ergonomic design makes trucks easy to maneuver.
- Caster wheel has roller bearings for extra stability when pushing, pulling, or turning.
- Handle is arc welded and reinforced for optimum durability.
- Wrap-around tubular frame is constructed of 1" powder-coated steel for enhanced appearance & rust protection.
- Designed for use with Hydraulic Akro/Lift (See below).
- All trucks available in: Gray, Red, Yellow, or Blue.



Wide mouth and low profile for easy loading

10" dia. wheels. Medium-duty trucks have 12" dia. wheels

Easy-pull, load-balanced design provides stability



77405
Medium-Duty
100 gal.



77505
Heavy-Duty
100 gal.



77610
Super Heavy-Duty with optional lid
200 gal.

Akro-Tilt Trucks

Model No.	Description	Inches			mm			Wheel Dia.	Capacity		Load Rating	Ship Wt.
		W	D	H	W	D	H		Gallons	Cu. Yds.		
77405	Medium-Duty 100	27	54	36	686	1372	914	12"	100	½	600 lbs.	94 lbs.
77410	Medium-Duty 200	33	66	42	838	1676	1067	12"	200	1	600 lbs.	137 lbs.
77505	Heavy-Duty 100	27	54	36	686	1372	914	10"	100	½	1000 lbs.	115 lbs.
77510	Heavy-Duty 200	33	66	42	838	1676	1067	10"	200	1	1000 lbs.	150 lbs.
77610	Super Heavy-Duty 200	33	66	42	838	1676	1067	12"	200	1	2000 lbs.	170 lbs.



Optional Akro-Lid

Convex shape adds strength and provides room for overpacking. Available only for Medium-Duty 200, Heavy-Duty 200, and Super Heavy-Duty 200 (color: Black). A full-width, heavy-duty piano hinge in the middle keeps the lid propped open during use and allows front and back access.

Optional Lid For Akro-Tilt Trucks

Model No.	Description	Inches			mm			Fits Akro-Tilt Truck Model	Ship Wt.
		W	D	H	W	D	H		
77002	Black Lid	34	67	5	864	1702	127	77410, 77510, 77610	12 lbs.

Akro/Lift



Clean, efficient, and safe emptying of Akro-Carts, Versa-Karts, and Akro-Tilt Trucks.

- Empties into containers, bailers, or compactors up to 57" high.
- Cylinder mounts and main hinge are reinforced with 3/4" steel.
- All moving parts are enclosed for worker safety.
- Weather-proof, hand-held remote control is standard.
- 12-Volt DC battery or specify voltage: *1-phase*: 110, 220; *3-phase*: 220, 230, 460, 575 (Canada).
- Standard finish is gray enamel. Custom colors available.



Easy detachment and casters allow lift to be relocated

Hydraulic Akro/Lift

Model No.	Description	Inches			mm			Akro-Cart Clearance		Tilt-Truck Clearance		Versa-Kart Clearance		Ship Capacity		Ship Wt.
		W	D	H	W	D	H	R" V" H"	R" V" H"	R" V" H"	R" V" H"					
78100	Hydraulic Akro/Lift	42½	45	47	1080	1143	1194	115 93 115	132 93 132	109 90 109	1000 lbs.	700 lbs.				

Installation video available upon request.

R = Swing Radius, V = Vertical Clearance, H = Horizontal Clearance.

VERSA/Deck™

- Versatile, structural foam cart with multiple handle and caster options.
- Sturdy, easy-to-clean deck resists most chemicals and damage from long-term exposure to weather.
- Maximize deck space with outside deck handles.
- Choose the deck size, caster type, and handle style to create the exact configuration you need.
- Decks are available in two sizes: 24" x 48" and 30" x 60".
- Deck colors: Blue or Gray.



VERSA/Deck shown with Akro-Mils SWCs and Akro-Grids (See pages 20-21).

HOW TO ORDER

- Step 1** Pick a deck style and size.
- Step 2** Pick a caster type.
- Step 3** Refer to the decks & casters charts for model numbers.
- Step 4** Pick handle and rail styles, and determine the quantity needed of each type.
- Step 5** Refer to the handle and rail charts for model numbers.
- Step 6** Call your Akro-Mils distributor to order.

1 Deck Styles Holes are drilled for handle ordered.

Standard Deck
24" x 48" (610mm x 1219mm)
30" x 60" (762mm x 1524mm)
Color: Gray or Blue

Steel Reinforced Deck
24" x 48" (610mm x 1219mm)
30" x 60" (762mm x 1524mm)
Color: Gray or Blue

2 Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 58 for more caster information.

3 24" x 48" Decks & Casters

Model No.	Caster Type	Caster Size Inches	Caster Size mm	Load Rating	Ship. Wt. w/o handles
Standard Deck					
R90152	Moldon Rubber	5	127	1400 lbs.	65 lbs.
R90181	Pneumatic	8	203	1200 lbs.	69 lbs.
Steel Reinforced Deck					
R90162	Polyolefin	6	152	1500 lbs.	61 lbs.
R90163	Polyurethane	6	152	2000 lbs.	61 lbs.
R90182	Moldon Rubber	8	203	2000 lbs.	81 lbs.
R90184	Polyolefin	8	203	1500 lbs.	65 lbs.
R90110	Pneumatic	10	254	1600 lbs.	77 lbs.
R90153	Performa	5	127	1500 lbs.	57 lbs.
R90164	Pro-Tech Non-Marking	6	152	2700 lbs.	61 lbs.
R90183	Pro-Tech Non-Marking	8	203	2700 lbs.	61 lbs.
R90185	Gray Round Performa	8	203	2400 lbs.	61 lbs.

Note: Decks are available in Gray or Blue. Specify color when ordering.

30" x 60" Decks & Casters

Model No.	Caster Type	Caster Size Inches	Caster Size mm	Load Rating	Ship. Wt. w/o handles
Standard Deck					
R90252	Moldon Rubber	5	127	1400 lbs.	89 lbs.
R90281	Pneumatic	8	203	1200 lbs.	93 lbs.
Steel Reinforced Deck					
R90262	Polyolefin	6	152	1500 lbs.	85 lbs.
R90263	Polyurethane	6	152	2000 lbs.	85 lbs.
R90282	Moldon Rubber	8	203	2000 lbs.	105 lbs.
R90284	Polyolefin	8	203	1500 lbs.	89 lbs.
R90210	Pneumatic	10	254	1600 lbs.	101 lbs.
R90253	Performa	5	127	1500 lbs.	81 lbs.
R90264	Pro-Tech Non-Marking	6	152	2700 lbs.	85 lbs.
R90283	Pro-Tech Non-Marking	8	203	2700 lbs.	85 lbs.
R90285	Gray Round Performa	8	203	2400 lbs.	85 lbs.



VERSA/Deck™ is perfect for transporting long, tall, or bulky items.

4 Handle - Outside Deck **Handle - Indeck** **Handle Rails - Indeck**

Open Style/Swayback 18" R92411, 24" R93011 Crossbar/Swayback 18" R92412, 24" R93012 Open Style/Swayback 24" R92413, 30" R93013 Open Style/Straight 24" R92414, 30" R93014 Crossbar/Straight 24" R92416, 30" R93016 Crossbar/Swayback 24" R92418, 30" R93019 Open Style/Straight 48" R94815, 60" R96015 Crossbar/Straight 48" R94817, 60" R96017

Common VERSA/Deck™ Configurations

Standard Deck 24" x 48" R90181 Deck R92411 18" Handle	Standard Deck 24" x 48" R90181 Deck Two R94817 48" Rails One R96015 48" Rail	Standard Deck 24" x 48" R90181 Deck Two R92418 24" Handles One R92416 24" Handle	Standard Deck 24" x 48" R90181 Deck One R92411 18" Handle Two R94817 48" Rails	Standard Deck 24" x 48" R90181 Deck Two R92418 24" Handles	Standard Deck 24" x 48" R90181 Deck Two R92411 18" Handles One R94815 48" Rail
Steel Reinforced Deck 30" x 60" R90281 Deck R93011 24" Handle	Steel Reinforced Deck 30" x 60" R90281 Deck Two R94817 60" Rails One R96015 60" Rail	Steel Reinforced Deck 30" x 60" R90281 Deck Two R93019 30" Handles One R93016 30" Handle	Steel Reinforced Deck 30" x 60" R90281 Deck One R93011 24" Handle Two R96017 60" Rails	Steel Reinforced Deck 30" x 60" R90281 Deck Two R93019 30" Handles	Steel Reinforced Deck 30" x 60" R90281 Deck Two R93011 24" Handles One R96015 60" Rail

5 Handles & Rails for 24" x 48" VERSA/Deck Cart

Model No.	Size Inches	Size mm	Style	Handle	Color	Ship. Wt.
Steel Reinforced Outside Deck						
R92411	18	457	Open	Swayback	Gray	5
R92412	18	457	Crossbars	Swayback	Gray	6
Standard Indeck						
R92413	24	610	Open	Swayback	Gray	6
R92414	24	610	Open	Straight	Gray	6
R92416	24	610	Crossbar	Straight	Gray	8
R92418	24	610	Crossbar	Swayback	Gray	8
Handle Rails Indeck						
R94815	48	1219	Open	Straight	Gray	7
R94817	48	1219	Crossbar	Straight	Gray	14


Handles & Rails for 30" x 60" VERSA/Deck Cart

Model No.	Size Inches	Size mm	Style	Handle	Color	Ship. Wt.
Steel Reinforced Outside Deck						
R93011	24	610	Open	Swayback	Gray	9
R93012	24	610	Crossbar	Swayback	Gray	10
Standard Indeck						
R93013	30	762	Open	Swayback	Gray	10
R93014	30	762	Open	Straight	Gray	10
R93016	30	762	Crossbar	Straight	Gray	12
R93019	30	762	Crossbar	Swayback	Gray	12
Handle Rails Indeck						
R96015	60	1524	Open	Straight	Gray	8
R96017	60	1524	Crossbar	Straight	Gray	16

Platform Trucks Wood Deck


• Heavy-duty platform trucks with kiln-dried, tongue and groove hardwood decks.

- Caster options allow 1,180 to 5,400 lb. capacities.
- Choose from multiple options in deck type, size, handles, casters, running gear patterns, bumpers, and wheel locks.
- Decks are 4/4 (1" thick).
- Shipped completely assembled and ready to use.



Platform trucks make transport of heavy loads easy. (Shown with Akro-Mils containers. See pages 18-20)

Deck Sizes



HOW TO ORDER

- Step 1 Pick deck size.
- Step 2 Pick deck style Series 1, 2, or 3.
- Step 3 Pick superstructure through H.
- Step 4 Pick running gears through 7.
- Step 5 Pick caster type & size.
- Step 6 Create a model number and call your Akro-Mils distributor.

Series 1

- All Wood**
- Shown with removable lattice pipe handle at swivel end.
 - Two swivel, two rigid casters.
 - See caster options for capacity.

Series 2


- Wood Deck with Steel Frame**
- Heavy-duty cart for concentrated loads.
 - 2" x 2" x 1/8" welded steel angle frame. (on 36" x 72" deck, 2" x 2" x 3/16")
 - Shown with removable lattice pipe handle at swivel end.
 - The wood deck is reinforced with longitudinal stiffeners for maximum capacity. (See caster options for capacity.)
 - Two swivel, two rigid casters.

Series 3

- Wood Deck with Steel Corners**
- Steel plates protect corners from damage.
 - Shown with open pipe handle.
 - Reinforcing center sill supports the deck lengthwise from beneath.
 - Series 3 trucks feature 12" load wheels in combination with 8" swivel casters. See "Casters and Wheels Series 3" chart on page 39.

Superstructures

Choose a handle style from the chart below to fit your platform truck. Open, lattice, and stake styles are removable to fit oversize loads. Fixed handles are only available on Series 1 & 2 trucks.



Superstructures (Handles & Stakes)

Series	Removable	Fixed
Series 1 & 2	A, B, C, D, F	J, K
Series 3	A, B, C, D	G*, H*

*Hardwood stakes available with Series 3 only.

Also Available




- Steel C-channel underdeck reinforcements.
- Capacity – 1,200 to 4,000 lbs. depending on caster type.
- Contact your Akro-Mils distributor to order.

4

Running Gears

- ☐ Rigid caster
- ◻ Swivel caster
- ⊕ Fixed wheel on axle



1 Non-Tilt Series 3 only



2 Tilt Series 3 only



3 Tilt Quad Series 3 only



4 Non-Tilt Series 1 & 2



5 Non-Tilt Series 1 & 2



6 Tilt Series 1 & 2



7 Tilt Quad Series 1 & 2

5

Casters & Wheels


Series 1 & 2	Material*	Size (D x W)		Series 1 & 2 Load Capacities
		Inches	mm	
L FPO	Phenolic	6 x 2	152 x 51	3200 lbs.
P	Polyolefin	5 x 2 6 x 2	127 x 51 152 x 51	2600 lbs. 2800 lbs.
M	Moldon Rubber	5 x 2 6 x 2 8 x 3.5	127 x 51 152 x 51 203 x 89	1500 lbs. 1760 lbs. 2000 lbs.
Y	Polyurethane	6 x 2	152 x 51	3200 lbs.
N	Pneumatic	8 x 2 10 x 3.5	203 x 51 254 x 89	1180 lbs.
R	Non-Marking Rubber	6 x 2	152 x 51	1640 lbs.
S	Steel	6 x 2 8 x 3	152 x 51 203 x 76	3200 lbs.

Series 3	Caster Type & Load Capacity		
	Moldon Rubber	Polyurethane	Steel
Running Gear 1 & 3	3280 lbs.	5400 lbs.	5400 lbs.
Running Gear 2	2780 lbs.	4500 lbs.	4500 lbs.

Note: For Series 3 model numbers, specify load wheel type (M, Y, or S) and a 12" wheel diameter. Swivel casters are standard 8" diameter. *See page 58 for full description of casters and wheels.

6

HOW TO CREATE YOUR MODEL NUMBER



For a 30" x 60" wood with steel frame platform truck with one removable open pipe handle and two rigid, two swivel 6" polyolefin casters, your model number will look like this:

RPT30602A5P6

Options & Accessories*:

Floor Locks <p>Prevent unwanted truck movement. Step down to lock, trip to release. Normally installed between swivel casters.</p> <ul style="list-style-type: none"> • Non-slip rubber base • Solid steel construction • Zinc plated for corrosion resistance • For use on trucks with non-tilt running gear only 	Wheel Locks <p>Control truck movement: prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels.</p>	Corner Bumpers <p>Protect walls, doors, furniture from damage.</p>	Supply Caddy <p>Six deep pockets hold clipboards, tape guns, and other bulky items. Durable canvas with nylon hanging straps and velcro fasteners. 16"W x 26"H. Fits all platform trucks. Order separately. Color: Black.</p>
Continuous Bumpers <p>Complete edge protection for all platform trucks.</p>			

*Accessories and special-order products are not returnable.


Custom engineered products can be designed and produced to your application/specification needs. For more information call your Akro-Mils distributor.

Platform Trucks Steel



Shown with Akro-Mils SWCs and Akro-Grids. See pages 20-21.

- Medium and heavy-duty steel trucks with longitudinal steel underdeck reinforcements.
- Standard two swivel, two rigid casters.
- Special-order platform trucks are available. See pages 38 and 39 to select from multiple options in handles, casters, and running gears. (Special-order products are not returnable.)
- Caster options allow 800 to 2,200 lb. capacity.



HEAVY-DUTY DECK SIZES

24" x 36"	27" x 54"	30" x 72"
24" x 48"	30" x 48"	36" x 60"
24" x 60"	30" x 60"	36" x 72"



Standard cross bar handle

Heavy-Duty

Specify size when ordering.

Model No.	Caster Capacity	Caster Type*	Caster Size (Swivel & Rigid)		Deck Height	
			Inches	mm	Inches	mm
R2108FPB	1200 lbs.	Full Pneumatic	8 (4 Ply)	203	11 1/2	292
R21210FPB	1200 lbs.	Full Pneumatic	10 (2 Ply)	254	13 1/2	343
R2125MRB	1500 lbs.	Moldon Rubber	5 x 2	127 x 51	8	203
R21412FPB**	1600 lbs.	Full Pneumatic	12 (2 Ply)	305	17 1/4	438
R2161012FPB	1700 lbs.	Full Pneumatic	10 (2 Ply) - Swivel - 12 (4 Ply) - Rigid -	254 305	14 1/2	368
R2146MRB	1800 lbs.	Moldon Rubber	6 x 2	152 x 51	9	229
R2168MRB	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	11	279
R2165PLB	2200 lbs.	Phenolic	5 x 2	127 x 51	8	203
R2165PYB	2200 lbs.	Polyurethane	5 x 2	127 x 51	8	203
R2165SSB	2200 lbs.	Semi-Steel	5 x 2	127 x 51	8	203

** Not available in 24" x 36", 24" x 48", and 24" x 60" deck sizes. *See page 58 for full description of casters and wheels.

MEDIUM-DUTY DECK SIZES

18" x 36"	24" x 36"
20" x 32"	24" x 48"



Standard open pipe handle

Medium-Duty

Model No.	Caster Capacity	Caster Type*	Caster Size (Swivel & Rigid)	
			Inches	mm
RMD2104MRA	800 lbs.	Moldon Rubber	4 x 2	102 x 51
RMD2105SRA	800 lbs.	Soft Rubber	5 x 1 1/4	127 x 32

*See page 58 for full description of casters and wheels.

Options & Accessories*:

*Accessories and special-order products are not returnable.

Floor Locks



Prevent unwanted truck movement. Step down to lock, trip to release. Normally installed between swivel casters.

- Non-slip rubber base
- Solid steel construction
- Zinc plated for corrosion resistance
- For use on trucks with non-tilt running gear only

Wheel Locks



Control truck movement: prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels.

Corner Bumpers




Protect walls, doors, furniture from damage.

Continuous Bumpers



Complete edge protection for all platform trucks.

Platform Trucks Work Height



Hardwood Deck



Structural Foam Deck



Expanded Metal Shelf

- Hardwood or structural foam deck available.
- Ergonomic height reduces the strain of lifting and bending.
- 26 1/2"H fixed or adjustable height decks.
- Adjustable height trucks have 3 deck height settings; 24 1/2" to 30 1/2"H on trucks with 6" wheels, and 25 1/2" to 31 1/2"H on trucks with 8" wheels.
- See optional accessories, page 40.
- Optional expanded metal lower shelf (Special-order products are not returnable.)

Hardwood deck or structural foam deck available



DECK SIZES 24" x 48" & 30" x 60"

Fixed Height Platform Trucks

Model No.	Caster Type*	Caster Size	Inches	mm
24" x 48" Decks (610 x 1219mm)				
RWH24481A5M6	RWHV24481A5M6	Moldon	6	152
RWH24481A5M8	RWHV24481A5M8	Moldon	8	203
RWH24481A5Y6	RWHV24481A5Y6	Polyolefin	6	152
30" x 60" Decks (762 x 1524mm)				
RWH30601A5M6	RWHV30601A5M6	Moldon	6	152
RWH30601A5M8	RWHV30601A5M8	Moldon	8	203
RWH30601A5Y6	RWHV30601A5Y6	Polyolefin	6	152

*See page 58 for full description of casters and wheels.


Adjustable Height Platform Trucks

Model No.	Caster Type*	Caster Size	Inches	mm
24" x 48" Decks (610 x 1219mm)				
RWH24481A5M6A	RWHV24481A5M6A	Moldon	6	152
RWH24481A5M8A	RWHV24481A5M8A	Moldon	8	203
RWH24481A5Y6A	RWHV24481A5Y6A	Polyolefin	6	152
30" x 60" Decks (762 x 1524mm)				
RWH30601A5M6A	RWHV30601A5M6A	Moldon	6	152
RWH30601A5M8A	RWHV30601A5M8A	Moldon	8	203
RWH30601A5Y6A	RWHV30601A5Y6A	Polyolefin	6	152

Skids Semi-Live & Dead



Choose from steel, wood, or wood with steel frame



1/4" x 2" skid legs for stationary storage

DECK SIZES 24" x 36" 30" x 48"
24" x 48" 30" x 60" 36" x 60"
27" x 54" 30" x 72" 36" x 72"

Specify size when ordering.

Semi-Live Skids

Model No.	Caster Capacity	Caster Type*	Caster Size	Underclearance of Tongue
All Wood Semi-Live Skids				
RA756MR**	1800 lbs.	Moldon	6 x 2 152 x 51	6 7/8" (175mm)
RA778MR**	2200 lbs.	Moldon	8 x 2 203 x 51	9 1/8" (232mm)
RA796PL**	2500 lbs.	Phenolic	6 x 2 152 x 51	6 7/8" (175mm)
RA7218PL	3000 lbs.	Phenolic	8 x 2 203 x 51	9 1/8" (232mm)
Wood Deck Steel Frame Semi-Live Skids				
R756MR	1800 lbs.	Moldon	6 x 2 152 x 51	6 7/8" (175mm)
R778MR	2200 lbs.	Moldon	8 x 2 203 x 51	9 1/8" (232mm)
R796PL	2500 lbs.	Phenolic	6 x 2 152 x 51	6 7/8" (175mm)
R7218PL	3000 lbs.	Phenolic	8 x 2 203 x 51	9 1/8" (232mm)
All Steel Semi-Live Skids				
R746MR	1800 lbs.	Moldon	6 x 2 152 x 51	6 7/8" (175mm)
R768MR	2200 lbs.	Moldon	8 x 2 203 x 51	9 1/8" (232mm)
R786PL	2500 lbs.	Phenolic	6 x 2 152 x 51	6 7/8" (175mm)
R7208PL	3000 lbs.	Phenolic	8 x 2 203 x 51	9 1/8" (232mm)

** Not available in 24" x 36", 27" x 54", and 30" x 72" deck sizes. *See page 58 for full description of casters and wheels.


DECK SIZES 24" x 36" 27" x 54" 36" x 60"
24" x 48" 30" x 48" 36" x 72"
24" x 60" 30" x 60"

Dead Skids

Model No.	Underclearance	Capacity
All Wood Dead Skid		
RA121DS*	7 1/4" (184mm)	3000 lbs.
Wood Deck Steel Frame Dead Skids		
R121DS	7 1/4" (184mm)	3000 lbs.
All Steel Dead Skid		
R120DS	7 1/4" (303mm)	3000 lbs.

*Not available in 24" x 36", 27" x 54", and 24" x 60" deck sizes.

Optional Lift Jack



7/8" Round Pin
Under-clearance of tongue



- For easy transport of most semi-live skids.
- Specify "T" or loop handle style.
- For female socket, change Model No. prefix to "RF".

Optional Lift Jack

Model No.	Caster Type*	Caster Size
RM716MR	Moldon Rubber	6" (152mm)
RM718MR	Moldon Rubber	8" (303mm)
RM716PL	Phenolic	6" (152mm)
RM718PL	Phenolic	8" (303mm)

*See page 58 for full description of casters and wheels.

Wood Platform Decks

Our Premium Decks are constructed from the highest quality hardwoods to ensure maximum service under extreme conditions.


Premium Wood Decks

- Custom platform hardwood decks.
- Choose the deck, size, wheels, and running gear to best fit your application.
- Premium hardwood decks in 1 1/4" (5/4) or 1" (4/4) thickness.
- Decks are predrilled to accept a 4" x 4 1/2" top plate with bolt hole spacing of 2 3/4" x 3 5/16".



Decks, handles, and casters must be ordered separately. Refer to page 38 for caster and handle options. (Shipped unassembled. Assembly available for extra charge.)

Deck boards run lengthwise on premium models, crosswise on standard models



Decks are predrilled for two fixed and two swivel wheels. See chart for other running gear options.

Treated and sealed hardwood deck with smooth, routed edges

Use this chart when ordering premium 5/4 or 4/4 wood platform decks. Boards run lengthwise.

Deck Width	Deck Length										
	24"	36"	42"	46"	48"	54"	60"	66"	72"	84"	96"
24"	R6100	R6101	R6111	R6121	R6131	R6139					
27"						R6144	R6151				
30"						R6141	R6170	R6171	R6175	R6191	R6193
36"						R6180	R6181	R6199	R6194		

Note: When ordering, add "44" or "54" to specify 4/4" or 5/4" thickness. Example: R615144 is a 54" x 27" premium deck with 4/4" thick boards.

HOW TO ORDER

Select the model no. from the chart, and add "44" or "54" to specify 5/4" or 4/4" thickness.

Standard Wood Decks

SERIES 1



- Deck Only**
- Tongue & groove deck construction.
 - 1" (4/4) thick hardwood deck with routed edges.
 - Predrilled for running gear 5.
 - Predrilled for (1) handle.

Series 1 Wood Decks

Model No.	Size		Ship Wt.
	Inches	mm	
RPTD24481	24 x 48	609 x 1219	33 lbs.
RPTD27541	27 x 54	686 x 1372	42 lbs.
RPTD30601	30 x 60	762 x 1524	54 lbs.
RPTD36721	36 x 72	914 x 1829	74 lbs.

Decks are predrilled to accept a 4" x 4 1/2" top plate with bolt hole spacing of 2 3/4" x 3 5/16".

SERIES 2



- Deck Only**
- Tongue & groove hardwood in angle frame.
 - 1" (4/4) thick hardwood deck with routed edges.
 - Predrilled for running gear 5. Equipped for (1) handle, with 2 sockets installed.

Series 2 Wood Decks



Model No.	Size		Ship Wt.
	Inches	mm	
RPTD24482	24 x 48	609 x 1219	58 lbs.
RPTD27542	27 x 54	686 x 1372	69 lbs.
RPTD30602	30 x 60	762 x 1524	83 lbs.
RPTD36722	36 x 72	914 x 1829	122 lbs.

Options for Premium and Standard Wood Decks:

Running Gear Detail

- Rigid caster
- Swivel caster
- Fixed wheel on axle

Running Gear Options for Premium and Standard Wood Decks



*Standard running gear



Decks, handles, and casters must be ordered separately. Refer to page 38 and 39 for caster and handle options. (Assembly required)


Shelf & Multi-Shelf Carts



Caster Note: Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 58 for more caster information.

- Heavy-duty carts designed for daily work.
- Welded steel cart rolls smoothly on long-wearing casters.
- Built to withstand loads up to 2,200 lbs.
- Swayback-style tubular push handle. (Models R1S5HR and R1S8MR have straight handles)
- Choose from several caster options as well as: rubber matting, lips up or down, a writing shelf, and drawers. (See pg. 44)
- Ships completely assembled and ready to use.

CART SIZES	18" x 30"	24" x 42"	27" x 54"
		18" x 36"	24" x 48"
	24" x 36"	24" x 60"	30" x 60"
	Specify size when ordering. 36" x 72"		



Shelf Carts

Model No.	Caster Capacity	Caster Type*	Caster Size		Shelves	Height To Top Shelf		Shelf Clearance	
			Inches	mm		Inches	mm	Inches	mm
R1S8FP2*	1200 lbs.	Full Pneumatic	8 (4 Ply)	203 x 102	2	34	864	20 3/4	527
R1S10FP2*	1200 lbs.	Full Pneumatic	10 (2 Ply)	254 x 51	2	36	914	20 3/4	527
R1S12FP2**	1600 lbs.	Full Pneumatic	12 (2 Ply)	305 x 51	2	39 3/4	1010	20 3/4	527
R1S5HR [†]	1800 lbs.	Polyolefin	5 x 2	127 x 51	2	30 1/4	768	20 3/4	527
R1S5HR2	1800 lbs.	Polyolefin	5 x 2	127 x 51	2	30 1/4	768	20 3/4	527
R1S5HR2LD	1800 lbs.	Polyolefin	5 x 2	127 x 51	2	25	635	15 1/2	394
R1S8MR [†]	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	2	33 1/4	845	20 3/4	527
R1S8MR2	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	2	33 1/4	845	20 3/4	527
R1S8MR2LD	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	2	28	711	15 1/2	394

*Not available in 18" x 30" and 18" x 36" deck sizes. **Only available in 27" x 54", 30" x 48", 30" x 60", and 36" x 72". [†]Straight handle.

Multi-Shelf Carts

Model No.	Caster Capacity	Caster Type*	Caster Size		Shelves	Overall Height		Clear Shelf Spacing	
			Inches	mm		Inches	mm	Inches	mm
R2ST5HR	1800 lbs.	Polyolefin	5 x 2	127 x 51	2	30 1/4	768	20 3/4	527
R2ST8MR	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	2	33 1/4	845	20 3/4	527
R3ST5HR	1800 lbs.	Polyolefin	5 x 2	127 x 51	3	30 1/4	768	9 5/8	244
R3ST8MR	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	3	33 1/4	845	9 5/8	244
R4ST5HR	1800 lbs.	Polyolefin	5 x 2	127 x 51	4	63 1/4	1619	17	432
R4ST8MR	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	4	66 1/4	1695	17	432
R5ST5HR	1800 lbs.	Polyolefin	5 x 2	127 x 51	5	63 1/4	1619	12 1/4	311
R5ST8MR	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	5	66 1/4	1695	12 1/4	311

*See page 58 for full description of casters and wheels.



Bin Carts

- A convenient combination of a heavy-duty cart with sturdy AkroBins for organized, portable storage of parts or supplies.
- 13-gauge steel, all-welded construction with 1 1/2" x 1/8" angle iron steel.
- Drawer is 15 1/2"W x 5 1/2"H x 16 1/2"D.
- Bolted-on polyurethane casters – 5" x 1 1/4"; 2 rigid, 2 swivel
- Fully assembled with 36" panel and 8 AkroBins.
- One lip down on top shelf for easy access to work surface.
- Frame color: Blue or Gray.
- AkroBin colors: Red, Yellow, Blue, Stone.



Model No. RBCB18365Y shown with optional writing shelf



Model No. RBCT24365Y shown with optional wood inserts

Bin Cart with Bottom-Shelf Storage

- Cart Dimensions: 18"W x 36"L x 36"H or 24"W x 36"L x 36"H.
- Standard with tubular push handle.
- Optional writing shelf
- Bin Model No. 30239 (See pg. 7 for sizes).
- 18" x 36" Model No. RBCB18365Y.
- 24" x 36" Model No. RBCB24365Y.

Please specify frame color and bin color.

Bin Cart with Top-Shelf Storage

- Dimensions: 24"W x 36"L x 36"H.
- Tubular push handle.
- Optional wood inserts
- Bin Model No. 30240 (See pg. 7 for sizes)
- Model No. RBCT24365Y

Please specify frame color and bin color.

Portable Tables & Carts

- Durable carts for pulling stock, assembly operations, or other heavy tasks.
- Welded steel frame construction with soft rubber casters for easy maneuverability.
- Overall height: 36".
- Ships completely assembled and ready to use.
- 800 lb. capacity.



- PT Series**
- 4 swivel, 5" x 1 1/4" soft rubber casters.
 - Shelf spacing:
2-shelf - 27" (558 mm)
3-shelf - 12 1/2" (318 mm)
 - 13-gauge steel.
 - 1 1/2" hemmed lip.

PT SERIES CART SIZES

18" x 30" 24" x 36"
18" x 36" 24" x 42"
24" x 30" 24" x 48"
Specify shelf size when ordering.

PT Series

Model No.	Description
RPT2ST5SR	2-Shelf Cart
RPT3ST5SR	3-Shelf Cart

- MD Series**
- 2 swivel, 2 rigid, 5" x 1 1/4" soft rubber casters.
 - Shelf spacing:
2-shelf - 26" (660 mm)
3-shelf - 12" (305 mm)
 - Tubular push handle.
 - 16-gauge steel.
 - 2" hemmed lip.

MD SERIES CART SIZES

18" x 24" 18" x 36"
18" x 30" 24" x 36"
Specify shelf size when ordering.

MD Series

Model No.	Description
RMD2ST5SR	2-Shelf Cart
RMD3ST5SR	3-Shelf Cart

Options & Accessories*:

Drawer



Easily accessible storage drawer. 15 1/2"W x 5 1/2"H x 16 1/2"D

Writing Shelf



Handy, angled shelf with pencil edge.

Rubber Matting



Rubber mats for all standard size shelves.

Floor Locks



Prevent unwanted truck movement. Step down to lock, trip to release. Normally installed between swivel casters.

- Non-slip rubber base
- Solid steel construction
- Zinc plated for corrosion resistance
- For use on trucks with non-tilt running gear only

Wheel Locks



Control truck movement and prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels.

*Special-order products are not returnable.

Work Table

- Industrial-grade work table with steel-reinforced oak deck top.
- Size: 24"L x 48"W x 36"H.
- Two steel drawers - 15 1/2"W x 5 1/2"H x 16 1/2"D.
- 2 swivel, 2 rigid bolted-on soft rubber casters; 5" x 1 1/4". Total lock brakes on swivel casters.
- Frame colors: Red, Gray or Blue.
- **Model No. RMWB24485SRTP.**
Specify frame color when ordering



High-End Narrow Aisle

- Extra-narrow aisle truck for order-picking and stocking where space is limited.
- Slim design fits easily in tight areas.
- Centered, 8" wheels and casters at each corner allow cart to turn within its own diagonal space.
- Available in plywood deck with steel frame or all steel deck.
- 1,500 lb. capacity.



CART SIZES

18" x 48" 24" x 48"
18" x 60" 24" x 60"
Specify deck size when ordering.

High-End Narrow Aisle

Model No.	Deck Type	Caster Capacity	Deck Height		Overall Height	
			Inches	mm	Inches	mm
R215HE	Plywood	1500 lbs.	12 1/4	311	66 1/2	1689
R214HE	Steel	1500 lbs.	11	279	64 1/2	1638



Tray Service Cart

- Excellent for libraries and manufacturing operations.
- 2 swivel, 2 fixed casters.

CART SIZES

18" x 30" 24" x 36"
18" x 36" 24" x 48"
Specify size when ordering.

Tray Service Cart

Model No.	Caster Capacity	Caster Type*	Caster Size		Overall Height	
			Inches	mm	Inches	mm
R2T5HR	1800 lbs.	Polyolefin	5 x 2	127 x 51	32 1/2	826
R2T8MR	2200 lbs.	Moldon Rubber	8 x 2	203 x 51	35 1/2	902

*See page 58 for full description of casters and wheels.

Standard Casters Shown (other caster options available):




Polyolefin



Moldon Rubber

Caster Note:

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 58 for more caster information.




Box Trucks

Expanded Metal Box



Expanded metal for easy cleaning, good airflow, and visibility of contents. 31 1/2" overall height; 25" inside depth.

- All box trucks have 2 swivel, 2 rigid, 5" x 2" polyolefin casters.
- Solid steel or expanded metal sides available.
- 1,800 lb. capacity.
- Available with optional lid.



Box Trucks

BOX SIZES

24" x 36" 30" x 36"
24" x 48" 30" x 48"
Specify size when ordering.

Model No.	Description	Overall Ht.		Inside Depth	
		Inches	mm	Inches	mm
R1B5HR	Steel Box Truck	30 1/2	775	24	607
R1B5HRL	Steel Box Truck w/ Lid	30 1/2	775	24	607
R1B5HRX	Expanded Metal Box Truck	31 1/2	800	25	635
R1B5HRXL	Expanded Metal Box Truck w/ Lid	31 1/2	800	25	635



Standard Caster
Polyolefin
See page 58 for more caster information.