

SNYDER



Equipment, Inc.

Storing, Rolling, Lifting since 1947

PRODUCT INFORMATION

AURORA QUIK-ROLL SECURITY DOOR

2946 Larimer St. Denver, CO 80205
303-295-1100 / 800-373-7693
FAX 303-295-2464
Email info@snyderequipment.com
www.snyderequipment.com

ASP Quik-Roll™ Security Door



Photo of Quik-Roll is shown with the optional side closure panels.

Securing important documents or patient information to meet HIPAA compliance has never been easier.

Quik-Roll Security Door from Aurora Storage Products can help meet your needs. The locking Quik-Roll installs on new Aurora Shelving, or retrofits to existing Aurora Shelving within minutes. Your files stay in place, no need to unload. You lose no filing space. Downtime is measured in minutes.

Lock the unit with a single push-button keyed lock. Unlock the system and the counterbalanced door gently springs up. How's that for quick security?

Quik-Roll can also provide security for Aurora Mobile applications, both new and existing.

ASP Quik-Roll™ Security Door

Features

- Installs or retrofits on Aurora Shelving
- Simple and quick installation
- Limited downtime, no file relocation
- Push-button keyed lock
- Counterbalanced door design controls movement
- Low profile box adds only 7½" to the overall height of the shelving unit
- Quik-Roll Door projects 2½"

Ordering

Standard Color: Silver

Part #	Width	Shelving Height
3664QR	36"	64¼"
3676QR	36"	76¼"
3685QR	36"	85¼"
3688QR	36"	88¼"

Options

- New or existing Aurora Mobile applications are special order
- Additional widths and heights available
- Single panel widths up to 12 feet
- Multiple panel designs for applications greater than 12 feet
- Additional color options available
- Side closure panel option
- When clearance space above shelving is at a premium, Quik-Roll may be special ordered as a front mounting unit
- Motorized Electronic Doors are available with radio remote or keyed switch


Consult your Dealer Representative.

Installation. Simply clip the guide rails to the shelving edge and lightly tighten the screws. Next, position the housing box at the top of the unit by sliding it into the rails, then tighten the screws on the clips.

From open to closed to locked...
simple as 1-2-3



Push-button key locking for greater security.



A side closure panel is available. (See front photo.)



A 1¼" channel on the side frame allows for file clearance.

Housing and Door Design. Quik-Roll's housing is pre-assembled and contains a counterbalanced spring for easy lifting. This design also acts as a brake to prevent rapid closing speeds. Lightweight metal slats combine a polyurethane foam core with an aluminum cover to create a modern and finished look when the door is closed.