

SNYDER

Equipment, Inc.

Storing, Rolling, Lifting since 1947



PRODUCT INFORMATION

BALLYMORE SAFETY LADDERS

2946 Larimer St. Denver, CO 80205

303-295-1100 / 800-373-7693

FAX 303-295-2464

Email info@snyderequipment.com

www.snyderequipment.com

STANDARD ROLLING LADDERS WITH SPRING LOADED CASTERS

- Mounted on four spring loaded swivel casters that retract under user's weight
- Working heights up to 12'
- Pyramid design centers user's weight
- 7" deep steps with a 10" deep top step
- Comes standard with expanded metal tread, optional treads available
- 1 - 4 step ladders ship setup
- 5 - 7 step ladders ship knocked down; for set up specify SU
- 300 lb. capacity
- Built to OSHA and ANSI standards
- CAL OSHA available 6 - 7 step add: \$50.00



Colors Available
See Pg. 12



STEPS INCLUDING TOP STEP	HEIGHT INCHES		16" WIDE STEP							24" WIDE STEP						
			MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE (G)	LIST PRICE (R)	LIST PRICE (P)	LIST PRICE (X)	MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE (G)	LIST PRICE (R)	LIST PRICE (P)	LIST PRICE (X)
NO HANDRAILS	TOP STEP	OVER ALL														
1 STEP	12	12	118SU*	18x16	18	\$99	\$87	\$84	\$87	126SU*	26x16	20	\$105	\$93	\$90	\$93
2 STEP	19	19	218SU*	20x19	22	\$134	\$110	\$104	\$110	226SU*	30x19	34	\$144	\$120	\$114	\$120
3 STEP	28.5	28.5	318SU*	20x25	29	\$168	\$132	\$123	\$132	326SU*	30x25	38	\$189	\$153	\$144	\$153
4 STEP	38	38	418SU	20x31	35	\$205	\$157	\$145	\$157	426SU	30x31	48	\$232	\$184	\$172	\$184
WITH HANDRAILS																
2 STEP	19	49	H218SU*	20x19	30	\$164	\$140	\$134	\$140	H226SU	30x19	37	\$332	\$154	\$148	\$154
3 STEP	28.5	58.5	H318SU	20x25	36	\$190	\$154	\$145	\$154	H326SU	30x25	46	\$211	\$175	\$166	\$175
4 STEP	38	68	H418SU	20x31	46	\$236	\$188	\$176	\$188	H426SU	30x31	62	\$275	\$227	\$215	\$227
5 STEP	47.5	77.5	H518	20x37	55	\$294	\$234	\$219	\$234	H526	30x37	75	\$339	\$279	\$264	\$279
6 STEP	57	87	HN618	24x43	63	\$355	\$283	\$265	\$283	H626	30x43	83	\$400	\$328	\$310	\$328
7 STEP	66.5	96.5	HN718	24x49	72	\$394	\$310	\$289	\$310	H726	30x49	93	\$443	\$359	\$338	\$359

* Eligible for UPS

**DEEP TOP STEP AVAILABLE
ALL MODELS
(Specify 20" DTS or 30" DTS)**

Deep Top Step	20" DTS add 10" depth and 11 lbs. wgt.		30" DTS add 20" depth and 22 lbs. wgt.	
Treads	(X, R, P)	(G)	(X,R,P)	(G)
4 - 5 Step	\$75	\$87	\$125	\$149
6 - 15 Step	\$100	\$112	\$150	\$174

EXPANDED METAL STANDARD OR SPECIFY ALTERNATE TREAD



Abrasive Mat Tread (R)



Heavy Duty Serrated Grating (G)



Expanded Metal Tread (X)



Perforated Tread (P)

M-2000 SERIES ROLLING SAFETY LADDER

- **350 lbs. capacity**
- Easy to use footpedal activated lockstep
- 14" deep top step
- Ladders ship knocked-down
- Optional setup ladder specify (SU) no additional cost
- Expanded metal tread standard or specify alternate tread
- Manufactured with rigid 1" OD tubing
- 30" handrails (measured from front of step)
- Built to OSHA and ANSI standards
- CAL OSHA available
 - 6 - 9 step add \$50.00
 - 10 + step add \$80.00
- Standard finish is powder coat grey

Model Shown with 21" Deep Top Step



Colors Available See Pg. 12



Easy Operating Lockstep

30" Handrails (measured from front of step)



KNOCKED DOWN UNITS FOR FREIGHT SAVINGS

Shipping ladders knocked-down (KD) may provide substantial freight savings. Ballymore's knocked-down design features:

- Special fasteners welded at strategic positions allow ladder to be partially disassembled
- Shortest re-assembly time in the industry (60% to 80% faster than our competitors)



STEPS INCLUDING TOP STEP	BASE W" x L"	WGT Lbs.	HEIGHT INCHES		MODEL #	SERRATED GRATING	ABRASIVE MAT	PERF STEP	EXPANDED METAL
			TOP STEP	OVER ALL		LIST PRICE (G)	LIST PRICE (R)	LIST PRICE (P)	LIST PRICE (X)
5 STEP	24x43	71	50	83	052414	\$345	\$285	\$270	\$285
6 STEP	24x49	80	60	93	062414	\$414	\$342	\$324	\$342
7 STEP	24x55	89	70	103	072414	\$454	\$370	\$349	\$370
8 STEP	24x61	100	80	113	082414	\$546	\$450	\$426	\$450
24" WIDE STEP WITH 30" - 40" BASE									
5 STEP	30x42	110	50	83	053014	\$370	\$310	\$295	\$310
6 STEP	30x49	122	60	93	063014	\$450	\$378	\$360	\$378
7 STEP	30x55	143	70	103	073014	\$494	\$410	\$389	\$410
8 STEP	32x61	160	80	113	083214	\$576	\$480	\$456	\$480
9 STEP	32x68	175	90	123	093214	\$626	\$518	\$491	\$518
10 STEP	32x74	193	100	133	103214	\$690	\$570	\$540	\$570
11 STEP	32x80	205	110	143	113214	\$756	\$624	\$591	\$624
12 STEP	32x87	220	120	153	123214	\$815	\$671	\$635	\$671
13 STEP	40x94	250	130	172	134014	\$1,086	\$930	\$891	\$930
14 STEP	40x100	280	140	182	144014	\$1,134	\$970	\$928	\$970
15 STEP	40x106	310	150	192	154014	\$1,190	\$1,010	\$965	\$1,010

16 - 20 steps available - call for specifications and pricing

Deep Top Step	21" DTS add 7" depth and 11 lbs. wgt.		28" DTS add 14" depth and 22 lbs. wgt.	
	(X, R, P)	(G)	(X,R,P)	(G)
4 - 5 Step	\$75	\$87	\$125	\$149
6 - 15 Step	\$100	\$112	\$150	\$174

DEEP TOP STEP AVAILABLE ALL MODELS
(Specify 21" DTS or 28" DTS)

HEAVY DUTY STAIRWAY SLOPE LADDERS

- **HEAVY DUTY - RUGGED 400 lbs. capacity**
- **Unique 48° stairway slope (for easy forward ascent or descent)**
- Intermediate steps are 10" deep with 9" run
- Top step is 14" deep for additional comfort
- Easy operating lockstep secures ladder to the floor
- Standard finish is deep grey enamel paint
- Exceeds OSHA and ANSI standards
- CAL OSHA Available
- Ladder ships setup unless noted



Options:	Price
28" Deep Top Step - (9 - 12 step ship KD)	\$173
Pivoting all direction ladder	\$75
Models 5 - 10 knocked down	\$25
Snap chain for rear exit	\$42
Snap chain for side exit	\$78
10" x 24" folding shelf on rear guardrail	\$62

Abrasive mat standard or specify alternate tread

STEPS INCLUDING TOP STEP	BASE W" x L"	WGT Lbs.	HEIGHT INCHES		MODEL #	SERRATED GRATING	EXPANDED METAL	PERF STEP	ABRASIVE MAT
			TOP STEP	OVER ALL		LIST PRICE (G)	LIST PRICE (X)	LIST PRICE (P)	LIST PRICE (R)
5 STEP	30x50	132	50	80	HDS-5	\$567	\$497	\$477	\$477
6 STEP	30x59	152	60	90	HDS-6	\$638	\$554	\$530	\$530
7 STEP	30x68	178	70	100	HDS-7	\$723	\$625	\$597	\$597
8 STEP	30x77	204	80	110	HDS-8	\$838	\$726	\$694	\$694
9 STEP	30x86	227	90	120	HDS-9	\$931	\$805	\$769	\$769
10 STEP*	30x95	245	100	130	HDS-10	\$984	\$844	\$804	\$804
11 STEP*	30x104	278	110	140	HDS-11	\$1,196	\$1,042	\$998	\$998
12 STEP*	30x113	297	120	150	HDS-12	\$1,257	\$1,089	\$1,041	\$1,041



Pedal Activated Lockstep


* Must ship knocked down due to size

50° SLOPE WALK DOWN LADDER

NEW PRODUCT AVAILABLE IN JUNE 2002

- 50° stairway slope
- 350 lbs. capacity - 7" deep intermediate step
- Meets OSHA and ANSI standards
- Standard finish is grey powder coat
- Ladders ship knocked down for setup specify SU
- Perforated tread standard or specify alternate tread

Allows forward facing descent



STEPS INCLUDING TOP STEP	BASE W" x L"	WGT Lbs.	HEIGHT INCHES		MODEL #	SERRATED GRATING	ABRASIVE MAT	EXPANDED METAL	PERF STEP
			TOP STEP	OVER ALL		LIST PRICE (G)	LIST PRICE (R)	LIST PRICE (X)	LIST PRICE (P)
16" Wide Step									
5 STEP	20x51	75	50	83	SW520	\$358	\$298	\$298	\$284
6 STEP	24x60	104	60	93	SW624	\$430	\$358	\$358	\$340
7 STEP	24x69	122	70	103	SW724	\$471	\$387	\$387	\$366
8 STEP	24x76	135	80	113	SW824	\$567	\$471	\$471	\$447
24" Wide Step									
5 STEP	30x46	91	50	83	SW530	\$400	\$340	\$340	\$325
6 STEP	30x60	120	60	93	SW630	\$468	\$396	\$396	\$378
7 STEP	30x69	139	70	103	SW730	\$513	\$429	\$429	\$408
8 STEP	32x78	156	80	113	SW830	\$599	\$503	\$503	\$479
9 STEP	32x88	178	90	123	SW932	\$651	\$543	\$543	\$516
10 STEP	32x97	191	100	133	SW1032	\$717	\$597	\$597	\$567
11 STEP	32x106	204	110	143	SW1132	\$786	\$654	\$654	\$621
12 STEP	32x116	236	120	153	SW1232	\$851	\$703	\$703	\$667



FREIGHT SAVER

LOCKSTEP LADDER

- Easy to use footpedal activated lockstep
- 14" deep top step - 350 lbs. capacity
- Shipped flat packed or specify optional setup (SU)
- Ships flat for lowest possible freight costs
- Robotically welded step section
- Easily repaired if damaged
- Perforated step standard or specify alternate tread



STEPS INCLUDING TOP STEP			HEIGHT INCHES			SERRATED GRATING (G)	ABRASIVE MAT (R)	EXPANDED METAL (X)	PERF STEP (P)
	BASE W" x L"	WGT Lbs.	TOP STEP	OVER ALL	MODEL #				
16" WIDE TREAD									
5 STEP	24 X 41	71	50	83	FS052414	\$345	\$285	\$285	\$270
6 STEP	24 x 48	80	60	93	FS062414	\$414	\$342	\$342	\$324
7 STEP	24 x 54	89	70	103	FS072414	\$454	\$370	\$370	\$349
8 STEP	24 X 60	100	80	113	FS082414	\$546	\$450	\$450	\$426
24" WIDE TREAD									
5 STEP	30 X 41	110	50	83	FS053014	\$370	\$310	\$310	\$295
6 STEP	30 x 48	122	60	93	FS063014	\$450	\$378	\$378	\$360
7 STEP	30 x 54	143	70	103	FS073014	\$494	\$410	\$410	\$389
8 STEP	32 x 60	160	80	113	FS083214	\$576	\$480	\$480	\$456
9 STEP *	32 x 67	175	90	123	FS093214	\$626	\$518	\$518	\$491
10 STEP *	32 x 73	193	100	133	FS103214	\$690	\$570	\$570	\$540
11 STEP *	32 x 79	205	110	143	FS113214	\$756	\$624	\$624	\$591
12 STEP *	32 x 86	220	120	153	FS123214	\$815	\$671	\$671	\$635

* Freight Saver only available if skid option is selected - otherwise will ship KD class 150

Ladder Inspection Procedure: Shipments are made FOB factory. Each product has been inspected before shipment. Consignee is responsible to inspect material at time of delivery, and should refuse shipment or make written notice to carrier upon receipt of damaged materials. Carriers will not accept claims if damage is not noted at the time of delivery.


WARRANTY (All products including lifts) Company warrants these products to be free from defects in material and workmanship for a period of one year from date of original purchase. Component parts carry individual warranties as provided by the manufacturer. Our warranty does not extend to parts or end products subjected to misuse, neglect, damage in shipment, by accident or failure to comply with operating instructions. We will repair or replace any unit which is defective during the warranty period if that unit is returned to our factory properly packaged with transportation charges paid. Claims for unauthorized field labor or time charges will not be accepted. Company will not be responsible for any consequential damages of any nature.

Product Specifications are subject to change without notice. Please confirm critical specifications.

Freight Saver Series

Shipping: Flat packed: Standard for lowest freight cost & to reduce freight damage. Available setup specify (SU)

- 1 - 8 step ship packaged
- 9 - 12 step shipped flat require skidding; add \$7.00 per step. Available on smaller models
- Step by step assembly instructions with detailed photos
- Replaceable parts extend ladder life
- Built to OSHA and ANSI standards
- Fold down rail option available on 4 step and above - add \$210



How to Select the Proper Ladder

1. Consider the best material, tread and tread design for your needs
2. Review specialty ladders for unique requirements
3. Select platform height based on operations to be performed or weight and bulk of object to be carried. Maximum convenient working height is generally 5 – 6 feet above the top step or platform
4. Minimum ceiling height should be 6 – 7 feet above the top step or platform
5. In larger ladders, choose a wide ladder over a narrow one if space permits. For very bulky loads, consider a stairway slope ladder and / or deeper top steps
6. Take into account whether people must pass the ladder in aisles and where it must rest when not in use
7. Consider limitations on ladder dimensions imposed by doorways, overhead obstructions, corners to be turned, etc.
8. Trays and shelves are available to hold merchandise while on ladder
9. For unusual conditions or applications, please call for recommendations

TILT & ROLL LADDERS

**POWDER
COATED
TOUGH™**

Colors Available
see Pg. 12



Non-Straddle
Base

- Balanced design allows ladder to tilt easily and roll effortlessly on two 4" casters
- Oversized 20" deep by 24" wide top step
- 24" wide treads
- 300 lbs. capacity
- Standard finish is grey powder coat
- Expanded metal standard or specify alternate tread



Straddle base
shown with optional
10"x24" tool tray
add: \$60.00
Specify (PHT)

Built to OSHA and ANSI

Available in stainless
see Pg. 11

STEPS INCLUDING TOP STEP	HEIGHT INCHES		NON-STRADDLE BASE						STRADDLE BASE							
			TOP STEP	OVER ALL	BASE W" X L"	WGT Lbs.	MODEL #	SERRATED GRATING (G)	PERF STEP (P)	EXPANDED METAL (X)	BASE W" X L"	WGT Lbs.	MODEL #	SERRATED GRATING (G)	PERF STEP (P)	EXPANDED METAL (X)
3 STEP	28.5	58.5	30x40	60	TR-3	\$256	\$211	\$220	26x38	77	HL-3NS	\$341	\$296	\$305		
4 STEP	38	68	30x46	72	TR-4	\$302	\$242	\$254	26x44	89	HL-4NS	\$414	\$354	\$366		
5 STEP	47.5	77.5	30x52	84	TR-5	\$347	\$272	\$287	26x50	101	HL-5NS	\$475	\$400	\$415		
6 STEP	57	87	30x58	96	TR-6	\$392	\$302	\$320	26x56	113	HL-6NS	\$535	\$445	\$463		

FOLD-N-STORE LADDERS


- Ladder can be easily folded for storage or transportation and offers tilt and roll mobility when setup
- Standard finish is grey powder coat
- 350 lbs. capacity
- Wheelbarrow style portability
- Large 10 inch rubber wheels roll easily on rough surfaces
- Expanded metal standard or specify alternate tread



Optional Replaceable Skid Plate for rough surfaces add: \$15



STEPS INCLUDING TOP STEP	BASE W" X L"	WGT Lbs.	HEIGHT INCHES		PLEASE SPECIFY TREAD TYPE WHEN ORDERING			
					MODEL #	SERRATED GRATING (G)	PERF STEP (P)	EXPANDED METAL (X)
5 STEP	30x46	80	50	83	FAWL-5	\$390	\$315	\$330
6 STEP	30x52	90	60	93	FAWL-6	\$430	\$340	\$358
7 STEP	30x58	100	70	103	FAWL-7	\$470	\$365	\$386
8 STEP	30x64	110	80	113	FAWL-8	\$510	\$390	\$414
9 STEP	30x70	125	90	123	FAWL-9	\$555	\$420	\$447
10 STEP	30x76	135	100	133	FAWL-10	\$600	\$450	\$480
11 STEP	30x82	150	110	143	FAWL-11	\$645	\$480	\$513
12 STEP	30x88	160	120	153	FAWL-12	\$705	\$525	\$561



30 inch
handrails

**POWDER
COATED
TOUGH™**

Colors Available
see Pg. 12

Built to OSHA and ANSI

ALUMINUM LADDERS

FOR PAINTED ALUMINUM SEE PAGE 12

Tilt & Roll shown with 16" wide steps; serrated grating tread



- Ideal for use in banks, libraries & hospitals
- 300 lbs. capacity, yet lightweight design
- Non-magnetic and non-sparking
- Paint-free for pharmaceutical & food applications
- Solid ribbed standard or specify alternate tread
- 7" deep intermediate treads
- 10" standard deep top step
- Optional 20" deep top steps available - add: \$110



Built to OSHA and ANSI

STEPS INCLUDING TOP STEP	HEIGHT INCHES		BASE W" X L"	WGT Lbs.	TILT & ROLL casters add 5" to base length			SPRING LOADED CASTERS		
	TOP STEP	OVER ALL			MODEL #	SERRATED GRATING (G)	SOLID RIBBED TREAD	MODEL #	SERRATED GRATING (G)	SOLID RIBBED TREAD
18" WIDE STEPS										
2 STEP NO RAILS	19	19	20x19	15	-	-	-	A2S*	\$219	\$219
3 STEP NO RAILS	28.5	28.5	20x25	20	-	-	-	A3S*	\$271	\$271
4 STEP NO RAILS	38	38	20x31	29	-	-	-	A4S	\$354	\$354
2 STEP	19	49	20x19	21	A2SH-TR	\$294	\$294	A2SH	\$274	\$274
3 STEP	28.5	58.5	20x25	27	A3SH-TR	\$369	\$369	A3SH	\$349	\$349
4 STEP	38	68	20x31	34	A4SH-TR	\$444	\$444	A4SH	\$424	\$424
24" WIDE STEPS										
2 STEP NO RAILS	19	19	30x19	22	-	-	-	A2S30*	\$271	\$271
3 STEP NO RAILS	28.5	28.5	30x25	28	-	-	-	A3S30	\$333	\$333
4 STEP NO RAILS	38	38	30x31	35	-	-	-	A4S30	\$416	\$416
2 STEP	19	49	30x19	28	A2SH30-TR	\$332	\$332	A2SH30	\$312	\$312
3 STEP	28.5	58.5	30x25	34	A3SH30-TR	\$434	\$434	A3SH30	\$414	\$414
4 STEP	38	68	30x31	41	A4SH30-TR	\$536	\$536	A4SH30	\$516	\$516
5 STEP	47.5	77.5	30x37	49	A5SH30-TR	\$627	\$627	A5SH30	\$607	\$607
6 STEP	57	87	30x43	60	A6SH30-TR	\$713	\$713	A6SH30	\$693	\$693
7 STEP	66.5	96.5	30x49	67	A7SH30-TR	\$798	\$798	A7SH30	\$778	\$778

* Eligible for UPS

21" Deep top step add: \$110

WHEELBARROW STYLE

- 10" Rear rubber wheels. Great on rough surfaces
- 300 lbs. capacity
- Lightweight lift and push wheelbarrow portability
- Solid ribbed standard or specify alternate tread

Model shown with optional skid plates in front - add: \$20
Specify (SKA)



Model shown with 21" deep top step add: \$110

STEPS INCLUDING TOP STEP	HEIGHT INCHES		BASE W" X L"	16" WIDE TREAD				24" WIDE TREAD			
	TOP STEP	OVER ALL		WGT Lbs.	MODEL #	SERRATED GRATING (G)	SOLID RIBBED TREAD	WGT Lbs.	MODEL #	SERRATED GRATING (G)	SOLID RIBBED TREAD
5 STEP	50	83	30X43	42	ALWB5	\$625	\$625	50	ALWB530	\$650	\$650
6 STEP	60	93	30x49	50	ALWB6	\$700	\$700	60	ALWB630	\$735	\$735
7 STEP	70	103	30x55	58	ALWB7	\$775	\$775	70	ALWB730	\$820	\$820
8 STEP*	80	113	30x62	66	ALWB8	\$850	\$850	80	ALWB830	\$905	\$905
9 STEP*	90	123	30x74	74	ALWB9	\$925	\$925	90	ALWB930	\$990	\$990
10 STEP*	100	133	30x81	82	ALWB10	\$1,000	\$1,000	100	ALWB1030	\$1,075	\$1,075

* ships knocked down

Aluminum ladders are subject to a 50% restocking charge



COLORFUL OFFICE LADDERS IN ALUMINUM OR STEEL



- Ideal for use in banks, libraries, schools, hospitals, and offices
- 300 lbs. capacity
- Easy rolling spring loaded casters
- Ladders ship setup, no assembly required
- Shipped in cartons with spring options to accommodate different flooring types
- Aluminum models have solid, slip resistant extruded tread
- Steel Ladders available with abrasive mat or perforated tread (please specify when ordering)



Aluminum ladders shown with solid ribbed tread



Built to OSHA and ANSI

ALUMINUM SOLID RIBBED TREAD LADDERS

STEPS INCLUDING TOP STEP	HEIGHT INCHES		18" WIDE STEP				24" WIDE STEP			
	TOP STEP	OVER ALL	MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE	MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE
NO HANDRAILS										
1 STEP*	12	12	AO118	18x16	13	\$180	AO126	26x16	16	\$220
2 STEP*	19	19	AO218	20x19	19	\$230	AO226	30x19	22	\$290
3 STEP*	28.5	28.5	AO318	20x25	25	\$290	AO326	30x25	28	\$350
WITH HANDRAILS										
2 STEP*	19	49	AOH218	20x19	21	\$290	AOH226	30x19	27	\$340
3 STEP	28.5	58.5	AOH318	20x25	27	\$370	AOH326	30x25	34	\$440
4 STEP	38	68	AOH418	20x31	34	\$450	AOH426	30x31	41	\$540
5 STEP	47.5	77.5	AOH518	20x37	41	\$540	AOH526	30x37	49	\$630
6 STEP	57	87	AOH618	24x43	48	\$630	AOH626	30x43	60	\$720

* Eligible for UPS

ABRASIVE MAT TREAD STEEL LADDERS

9.5" step spacing and 10" deep top step * Eligible for UPS



STEPS INCLUDING TOP STEP	HEIGHT INCHES		16" WIDE STEP				24" WIDE STEP			
	TOP STEP	OVER ALL	MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE	MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE
NO HANDRAILS										
1 STEP*	12	12	OFF118R	18x16	18	\$102	OFF126R	26x16	20	\$108
2 STEP*	19	19	OFF218R	20x19	22	\$125	OFF226R	30x19	34	\$135
3 STEP*	28.5	28.5	OFF318R	20x25	29	\$147	OFF326R	30x25	38	\$158
WITH HANDRAILS										
2 STEP*	19	49	OFFH218R	20x19	30	\$165	OFFH226R	30x19	37	\$179
3 STEP	28.5	58.5	OFFH318R	20x25	36	\$179	OFFH326R	30x25	46	\$200
4 STEP	38	68	OFFH418R	20x31	46	\$213	OFFH426R	30x31	62	\$252
5 STEP	47.5	77.5	OFFH518R	20x37	55	\$259	OFFH526R	30x37	75	\$304
6 STEP	57	87	OFFH618R	24x43	63	\$308	OFFH626R	30x43	83	\$353

Steel ladders shown with abrasive mat and NEW perforated tread



PERFORATED TREAD STEEL LADDERS

1-3 step ladders have 9.5" step spacing and 10" deep top step
4-6 step ladders have 10" step spacing and 14" deep top step

STEPS INCLUDING TOP STEP	HEIGHT INCHES		16" WIDE STEP				24" WIDE STEP			
	TOP STEP	OVER ALL	MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE	MODEL #	BASE W" x L"	WGT Lbs.	LIST PRICE
NO HANDRAILS										
1 STEP*	12	12	OFS118P	18x16	18	\$99	OFS126P	30x20	25	\$105
2 STEP*	19	19	OFS218P	20x19	22	\$119	OFS226P	30x23	39	\$129
3 STEP*	28.5	28.5	OFS318P	20x25	29	\$138	OFS326P	30x29	43	\$160
WITH HANDRAILS										
4 STEP	40	70	OFSH418P	20x35	46	\$201	OFSH426P	30x35	62	\$240
5 STEP	50	80	OFSH518P	20x42	55	\$244	OFSH526P	30x42	75	\$289
6 STEP	60	90	OFSH618P	24x49	63	\$290	OFSH626P	30x49	83	\$335

COLORS AVAILABLE FOR ALL POWDER COATED LADDERS

COLORS	Item #	1-3 STEP	4-8 STEP	9-15 STEP
GREY	STD	NC	NC	NC
BLUE	BU	NC	NC	NC
BLACK	BL	NC	NC	NC
BEIGE	BE	\$10	\$20	\$35
YELLOW	Y	\$10	\$20	\$35
ORANGE	O	\$10	\$20	\$35

Please specify item number when ordering colors
Multiple unit discounts available