

7000 Series **Shelf Files**

- *Gang lock system secures both sides of door to keep your business essentials safe*
- *Available in letter and legal depths, and a wide variety of sizes and colors*
- *Integrates with SmartSpace™ Moveable Filing System and other Holga products*
- *Enhanced flipper doors*

Shelf files are today's most cost effective approach to folder filing and with the 7000 Series you get style and security, plus the convenience of a fully set up, welded cabinet.

Designed to perform and built to last, these files are reinforced with top, side, front, and back 20-gauge steel stiffeners for added strength and durability.

High profile styling distinguishes the 7000 Series from other cabinets. Recessed full width door pulls offer a contemporary look in addition to ease of use.



7000 Series Shelf File Technical Information

| Standard Features | Options |
|---|---|
| Shelves are slotted on 2" centers to accept file dividers | Units certified seismically safe when ordered with seismic option |
| A maximum of 16 dividers per shelf | Doors and/or doors with lock |
| Nylon glides and rubber bumpers keep door action smooth and quiet | Dividers |
| Doors lock on both sides for added security | Posting shelf door |
| Shelves can hold 170 pounds equally loaded | May be installed upon SmartSpace™ |
| A recessed full pull is featured on the 7000 | Series Deck and Carriage System |

7000 Series Shelf Files

The 7000 Series Shelf Files are fully welded and when ordered with locking doors provide the security of 2 locking points for each opening. Both Series have the following features:

- Available in six heights:

| | |
|---------|--------------|
| 29" | (2 openings) |
| 40-5/8" | (3 openings) |
| 52-1/4" | (4 openings) |
| 63-7/8" | (5 openings) |
| 78" | (6 openings) |
| 87-1/8" | (7 openings) |
- All units are 36" wide.
- Available in either Letter 13-1/4" (interior 12-1/4") or Legal 16-1/4" (interior 15-1/4") deep.
- Standard shelf openings with doors are 10" high, and without doors 10-3/4"
- Jumbo units are available in the 900 series for oversized filing. Shelf openings with doors are 12-13/16", and without doors 13-9/16" high.
- Finish is baked-on enamel and treated to prevent rusting.
- Steel gauges are from 20-22 gauge cold rolled steel:

| | | | |
|---------|----------|-----------------|----------|
| Top: | 20 gauge | Reinforcements: | 20 gauge |
| Back: | 20 gauge | Shelves: | 20 gauge |
| Sides: | 20 gauge | Door tracks | 18 gauge |
| Bottom: | 18 gauge | | |

- Shelves are welded in place for strength and rigidity and slotted on 2" centers to accept optional dividers. (maximum of 15 per shelf)
- "Knock-outs" are provided on both the back and sides of units for securing units together if desired.
- The 7000 series cabinets offers a full recessed pull and top center lock.

| Interior Dimensions | | LFI (Linear Filing Inches) |
|--------------------------|------------|----------------------------|
| 36"W = 35"W | 2 Openings | 68" |
| 13-1/4"D = 12-1/4"D | 3 Openings | 102" |
| 16-1/4"D = 15-1/4"D | 4 Openings | 136" |
| | 5 Openings | 170" |
| with doors = 10-1/2"H | 6 Openings | 204" |
| without doors = 10-3/4"H | 7 Openings | 238" |

The top, sides, shelves, front stiffeners, reinforcements and back of the shell are made from 20 gauge steel. Bottom front of the shell, doors and door tracks are made from 18 gauge steel.

The doors have recessed full width pulls, located at the lower portion of the door for easy access. Each pull includes a Holga label holder.

Holga

Copyright © 2001 Holga Inc. - a HON INDUSTRIES company