

SNYDER



Equipment, Inc.

Storing, Rolling, Lifting since 1947

PRODUCT INFORMATION

MAYLINE HEIGHT ADJUSTABLE WORK STATIONS

2946 Larimer St. Denver, CO 80205
303-295-1100 / 800-373-7693
FAX 303-295-2464
Email info@snyderequipment.com
www.snyderequipment.com

Height Adjustable Workstations



**Manual Crank Tables
Counterforce Tables
Electric Tables
Mobile PC Workstations**

VARITASK® BASIC

Mayline Customer Service: 1-800-822-8037


Lift System: Simple hand-crank adjustment at 8 turns per inch. Right- or left-handed operation. 250 lb. maximum payload.

Travel Range: 14" of travel from 26" to 40". Optional DataCenter on keyboard surface extends range from 20" to 47".


Keyboard Surface: DataCenter mechanism adjusts from 6" below to 7" above work surface. Features +9° to -15° tilt.

Work Surface: 1" thick top finished with durable, scratch-resistant melamine or 1 1/8" high-pressure laminate, both finished with T-mold edge. Add "P" for post-formed edge on laminate tops (\$75 list price upcharge.)


Freight Program Applies: **1**




73142



73248W



72142



72242W

Description	Wt.	Melamine Model No.	Melamine List Price	Laminate Model No.	Laminate List Price
VariTask Basic – Single Surface					
36" x 30"	104 #	73136	\$975	73136L	\$1065
42" x 30"	112 #	73142	\$994	73142L	\$1103
48" x 30"	120 #	73148	\$1013	73148L	\$1143
60" x 30"	135 #	73160	\$1057	73160L	\$1191
VariTask Basic – Dual Surface with DataCenter keyboard mechanism					
36" x 30"	125 #	73236W	\$1472	73236WL	\$1573
42" x 30"	134 #	73242W	\$1497	73242WL	\$1603
48" x 30"	146 #	73248W	\$1524	73248WL	\$1629
60" x 30"	162 #	73260W	\$1576	73260WL	\$1737
VariTask Basic – Single Surface Corner Unit					
36" x 24"	105 #	72336	\$1202	72336L	\$1345
42" x 24"	110 #	72342	\$1222	72342L	\$1363
45" x 24"	115 #	72345	\$1253	72345L	\$1402
42" x 30"	118 #	72142	\$1240	72142L	\$1375
45" x 30"	122 #	72145	\$1267	72145L	\$1387
48" x 30"	137 #	72148	\$1292	72148L	\$1399
VariTask Basic – Dual Surface Corner Unit with DataCenter Keyboard Mechanism					
42" x 24"	120 #	72442W	\$1673	72442WL	\$1750
45" x 24"	130 #	72445W	\$1712	72445WL	\$1802
42" x 30"	136 #	72242W	\$1685	72242WL	\$1815
45" x 30"	142 #	72245W	\$1726	72245WL	\$1854
48" x 30"	169 #	72248W	\$1777	72248WL	\$1906

Drive System: Adjustable torsion spring compensates for loads up to 125 lbs. or 175 lbs. Uses 7/16" socket wrench for adjustment.





Travel Range: 18" vertical travel from 27" - 45".

Security Brake: With the Mayline Security Brake, any unbalanced condition in either the up or down direction will cause the brake to lock up and not release until user has control.

Keyboard Surface: DataCenter mechanism adjusts from 6" below to 7" above work surface. With a +9° to -15° tilt.

Work Surface: 1" thick top finished with durable, scratch-resistant melamine or 1 1/8" high-pressure laminate, both finished with T-mold edge. Add "P" for post-formed edge on laminate tops (\$75 list price upcharge.)

Freight Program Applies: **1**

Model No.	Description	Wt.	Melamine List Price	Std Laminate List Price
VariTask Reflex – Single Surface Rectangular				"L" Suffix
 16036	36" x 30"	175 #	\$1550	\$1646
16042	42" x 30"	190 #	\$1562	\$1694
16048	48" x 30"	205 #	\$1605	\$1742
16060	60" x 30"	225 #	\$1624	\$1765
VariTask Reflex – Dual Surface Rectangular w/Datacenter				
 16036W	36" x 30" w/Datacenter	195 #	\$2081	\$2190
16042W	42" x 30" w/Datacenter	210 #	\$2124	\$2232
16048W	48" x 30" w/Datacenter	225 #	\$2150	\$2288
16060W	60" x 30" w/Datacenter	245 #	\$2169	\$2338
VariTask Reflex – Single Surface Corner Unit				
 16142	42" x 24"	190 #	\$1806	\$1957
16145	45" x 24"	200 #	\$1840	\$1992
16242	42" x 30"	205 #	\$1826	\$1981
16245	45" x 30"	215 #	\$1855	\$2020
16248	48" x 30"	220 #	\$1881	\$2048
VariTask Reflex – Dual Surface Corner w/Datacenter				
 16242W	42" x 30" w/Datacenter	225 #	\$2304	\$2385
16245W	45" x 30" w/Datacenter	235 #	\$2345	\$2483
16248W	48" x 30" w/Datacenter	240 #	\$2400	\$2538

VARITASK® E-SERIES

Mayline Customer Service: 1-800-822-8037

Drive System: 110V, 60 Hz, AC motor. 150 lb. capacity. Draws 1.6 amps under full load.



Travel Range: 14" vertical adjustment from 26" to 40". Full travel time is 18 seconds. Models with 18" travel also available.

Keyboard Surface: Standard adjustable keyboard adjusts from 4" below to 1" above monitor surface. DataCenter mechanism adjusts from 6" below to 7" above work surface. Both have +9° to -15° tilt.


Work Surfaces: Thermally-fused melamine with T-mold edge is standard. Add "L" suffix for high pressure laminate with T-mold edge (prices shown). Add "P" suffix for post-formed laminate (\$75 list price upcharge).

DataCenter Surface: 12"D x 27"W (minimum) for rectangular configurations.


Freight Program Applies: **1**




Model No.	Description	Wt.	List Price
VariTask® E-Series Base Only			
6053AH	Base for rectangular top sizes up to 48"W x 30"D, 48" x 30" corner, 14" travel	73#	\$1055
6053BM	Base for corner top sizes up to 30" x 45", 14" travel	67#	\$1055
6033AH	Same as 6053AH above except 18" travel, 29" to 47"	78#	\$1199
6033BM	Same as 6053BM above except 18" travel, 29" to 47"	77#	\$1199




Model No.	Description	Wt.	Melamine List Price	Standard Laminate List Price
VariTask® E-Series - Single surface.				
"L" Suffix				
81830	30" x 30" (uses base 6053BM above)	115#	\$1168	\$1267
81836	36" x 30"	123#	\$1195	\$1286
81842	42" x 30"	124#	\$1208	\$1331
81848	48" x 30"	135#	\$1247	\$1377




Model No.	Description	Wt.	Melamine List Price	Standard Laminate List Price
VariTask® E-Series - Dual surface with 12" D DataCenter keyboard mechanism.				
"L" Suffix				
82836W	36" x 30" with DataCenter	144#	\$1696	\$1799
82842W	42" x 30" with DataCenter	149#	\$1737	\$1839
82848W	48" x 30" with DataCenter	155#	\$1762	\$1892



Model No.	Description	Wt.	Melamine List Price	Standard Laminate List Price
VariTask® E-Series - Single surface corner unit.				
"L" Suffix				
81936	36" x 24"	119#	\$1417	\$1562
80942	42" x 24"	132#	\$1437	\$1580
81942	42" x 30"	135#	\$1456	\$1602
80945	45" x 24"	138#	\$1469	\$1620
81945	45" x 30"	144#	\$1484	\$1639
81948	48" x 30"	151#	\$1508	\$1665




Model No.	Description	Wt.	Melamine List Price	Standard Laminate List Price
VariTask® E-Series - Corner dual surface with DataCenter keyboard mechanism.				"L" Suffix
82936W	36" x 24" (Internal Keyboard)	155#	\$1879	\$1957
85942W	42" x 24"	153#	\$1892	\$1972
85945W	45" x 24"	159#	\$1932	\$2024
85948W	48" x 24"	166#	\$1973	\$2077
82942W	42" x 30"	155#	\$1906	\$1983
82945W	45" x 30"	163#	\$1945	\$2076
82948W	48" x 30"	172#	\$1997	\$2128



Model No.	Description	Wt.	Melamine List Price	Standard Laminate List Price
VariTask® E-Series Layout Table - Height adjustable table with manual tilt.				"L" Suffix
81736	30" x 36"	117#	\$1480	\$1637
81742	30" x 42"	128#	\$1488	\$1660
81748	30" x 48"	138#	\$1494	\$1683

NOTE: When mounting straightedges to T-molded tilt-top tables, order next size smaller straightedge. Use 10104 Hardware Bag, which contains surface-mount pulley plates and stops.

SOHO ADJUSTABLE COMPUTER TABLE



- Surfaces are either Oak or Dove Gray.
- All frames painted Black.
- Shelves are adjustable to an infinite amount of locations between 14 to 48 inches
- Qty. 4, 2" Casters provided (two locking)
- Easily reconfigures for other family members or office partners
- Ships UPS

Small Office (Shelves support 100 lbs. each)

Model No.	Dimensions	Wt.	List Price
8432SO	32"W x 31"D x 50"H, 4 shelves	65 #	\$299
8332SO	32"W x 31"D x 50"H, 3 shelves	65 #	\$264

Home Office (Shelves support 75 lbs. each)

Model No.	Dimensions	Wt.	List Price
6432SO	32"W x 31"D x 48"H, 4 shelves	60 #	\$269
6332SO	32"W x 31"D x 48"H, 3 shelves	60 #	\$234

VARITASK® CLASSIC

Mayline Customer Service: 1-800-822-8037

Drive System: 110v, 60 Hz, AC motor. 250 pounds of lifting capacity per column. No belts, pulleys, or hydraulics. Draws 1.6 amps under full load.


Travel Range: 14" vertical adjustment from 26" to 40". DataCenter adjustable keyboard support extends keyboard range from 20" to 47". Travel time is 24 sec. Models with 30" to 48" travel also available.

Work Surfaces: High pressure laminate with T-mold edge is standard. Add "P" suffix for post-formed laminate (\$75 list price upcharge). Stationary front surfaces are 29" H.

Tilt Angle: Manual front tilt angle is +25° to -5°. Power tilt angle is +15° to -10° on front and rear surface. Range is +10° to -15°. DataCenter keyboard support adjusts from 6" below to 7" above work surface and have +9° to -15° tilt. Power tilt has 250# load maximum. Manual tilt has 150# load maximum.

Rear Slide: Units with rear surface slide option allow for 12" of forward movement. 150 lb. load maximum.

Freight Program Applies: **1**



Model No.	Description	Wt.	Std. Laminate T-mold List Price
VariTask® Classic Base Only			
80270M4	Power base for single surface 48"W x 30"D rectangular top, 14" travel	117 #	\$1773
80270P4	Power base for single surface 45"W x 30"D corner top, 14" travel	115 #	\$1828
80370M4	Same as 80270M4 above except 18" travel, 29" to 47"	122 #	\$2020
80370P4	Same as 80270P4 above except 18" travel, 29" to 47"	120 #	\$2086

Note: Additional bases available for other top configurations. Call Customer Service for information.

VariTask® Adjustable Workcenter - Single Column, single surface with power height.

12330L	30"D x 30"L work surface.	176 #	\$2042
12336L	30"D x 36"L work surface.	186 #	\$2162
12348L	30"D x 48"L work surface.	206 #	\$2279
12360L	30"D x 60"L work surface.	226 #	\$2413

VariTask® DataCenter - Single Column with DataCenter keyboard support. Adjusts 6" below to 7.0" above work surface.

12730WL	18"D x 30"L work surface with 14"D x 30"L DataCenter.	127 #	\$2413
12736WL	18"D x 36"L work surface with 14"D x 36"L DataCenter.	135 #	\$2544
12742WL	18"D x 42"L work surface with 14"D x 42"L DataCenter.	143 #	\$2649
12748WL	18"D x 48"L work surface with 14"D x 48"L DataCenter.	155 #	\$2748
12760WL	18"D x 60"L work surface with 14"D x 60"L DataCenter.	179 #	\$2946

VariTask® Adjustable Workcenter - Dual Column with power height. Optional 13" rear slide. Optional manual tilt.

25300L	24"D x 48"L work surface, 18"D x 48"L rear surface.	325 #	\$3979
25302L	24"D x 48"L work surface, 18"D x 48"L rear surface. Slide on rear surface.	335 #	\$4264
25412L	30"D x 48"L work surface, 18"D x 48"L rear surface. Manual front tilt. Rear slide.	363 #	\$4550
27300L	24"D x 60"L work surface, 18"D x 60"L rear surface.	341 #	\$4046
27302L	24"D x 60"L work surface, 18"D x 60"L rear surface. Slide on rear surface.	335 #	\$4334
27412L	30"D x 60"L work surface, 18"D x 60"L rear surface. Manual front tilt. Rear slide.	369 #	\$4616


Corner VariTask® - Single Column with power height and DataCenter keyboard surface.

12562WL	36" Corner for 24" deep reference tables (external keyboard support).	188 #	\$2987
12563WL	42" Corner for 30" deep reference tables.	190 #	\$3055
12564WL	45" Corner for 30" deep reference tables.	192 #	\$3122
12565WL	48" Corner for 30" deep reference tables.	194 #	\$3191

Corner VariTask® - Dual Column with power height. Optional rear slide.

42300L	Corner unit, dual surface, 42" x 30" top.	233 #	\$4340
42302L	Corner unit, dual surface with rear slide. 42" x 30" top.	255 #	\$4623
45300L	Corner unit, dual surface, 45" x 30" top.	237 #	\$4405
45302L	Corner unit, dual surface with rear slide. 45" x 30" top.	260 #	\$4693
47300L	Corner unit, dual surface, 48" x 30" top.	240 #	\$4475
47302L	Corner unit, dual surface with rear slide. 48" x 30" top.	265 #	\$4761

Above listing is only a small sampling of standard Varitask Classic Workcenters. Additional sizes and features (including power tilt options) are available. Please call customer service for details.



Model No.	Description	Wt.	List Price
Monitor Clamp Brackets			
2110V	Monitor Clamp Brackets - recommended for use with monitors on all VariTask® rear power tilt surfaces, 18" deep work surfaces only, post-formed or t-mold.	5 #	\$110

VARITASK® STEALTH

Drive System: 115V, 60 AC input/24V DC motor. Total lifting capacity of 225 lbs. per power pod. Combine up to three on one switch. All units draw maximum 1.6 amps under full load.


Travel Range: 16" of vertical adjustment from 26" to 42" by way of simple touch button. DataCenter option extends keyboard range from 20" to 49".

Freight Program Applies: **1**

Work Surface: High-pressure laminate with T-mold edge is standard.







Modesty Panels: Available on some models. Contact Customer Service for details.

Control Switch: Standard with 3-position memory settings.



Typical models are shown below, but limitless custom configurations are available. Contact Mayline Customer Service at 1-800-822-8037 for more information on the versatile Stealth.

Model No.	Description	Wt.	No. of Pods	List Price
VariTask® Stealth				
22114L	Corner unit, 30" x 72" x 72" x 30"	253 #	2	\$2921
22114WL	Corner unit with DataCenter keyboard surface, 30" x 72" x 72" x 30"	270 #	2	\$3480
22133WL	Corner unit with DataCenter keyboard surface, 24" x 60" x 72" x 30"	263 #	2	\$3349
22116L	Corner unit, 30" x 48" x 72" x 30"	239 #	2	\$2649
23118L	Corner unit, 30" x 84" x 84" x 30"	258 #	3	\$4025
23269L	Rectangular unit, 96" x 36"	241 #	3	\$3671
22368L	Kidney-shaped unit, 84" x 36"	220 #	2	\$2597
23118WL	Corner unit with DataCenter keyboard surface, 30" x 84" x 84" x 30"	285 #	3	\$4586



(Actual top dimensions shown.)