

The logo for Snyder Equipment, Inc. features the word "SNYDER" in large, bold, white, sans-serif capital letters. This text is set against a solid blue rectangular background. Below the blue background is a horizontal yellow bar. To the left of the yellow bar is a solid yellow circle. To the right of the yellow bar, the words "Equipment, Inc." are written in a smaller, blue, sans-serif font. Below "Equipment, Inc." is the tagline "Storing, Rolling, Lifting since 1947" in an even smaller, blue, italicized sans-serif font.

**SNYDER**

**Equipment, Inc.**


*Storing, Rolling, Lifting since 1947*

**PRODUCT INFORMATION**

**B+P DOCK BOARDS AND  
PLATES**

2946 Larimer St. Denver, CO 80205  
303-295-1100 / 800-373-7693  
FAX 303-295-2464  
Email [info@snyderequipment.com](mailto:info@snyderequipment.com)  
[www.snyderequipment.com](http://www.snyderequipment.com)

# The #1 Dockboard in America just got better



- **Stronger, lighter and more durable than steel curb boards at the same price! .**

- **Quick-Ship availability on Popular sizes!**

- **Light weight, welded aluminum curbs provide unbeatable strength and durability.**

- **Bolt-on legs allow for quick field repair. Zinc finish helps prevent chipping, peeling and corrosion. Easily reversed for refrigerated trucks.**

- **The strongest boards in the industry. All of our boards are designed per Aluminum Association Standards.**

- **Increased load capacities to fit all your needs.**

- **Skid resistant surface.**

- **Boards are actual thickness, full 5/16", 3/8", 1/2".**

- **PLUS THE EXCLUSIVE LIBERATOR 2-YEAR WARRANTY.**


Dockboard Size and Specification Charts			5,000-7,000 LB CAPACITY			10,000 LB CAPACITY			10,000-14,000 LB CAPACITY			12,000-17,000 LB CAPACITY		
			5/16" aluminum 3" welded curb			3/8" aluminum 3.5" welded curb			3/8" aluminum 4" welded curb			1/2" aluminum 4" welded curb		
SIZE (W x L)	MAX. HT. DIFF. (IN)	LEG LENGTH (IN)	CAPACITY (LBS)	PART #	WT (LBS)	CAPACITY (LBS)	PART #	WT (LBS)	CAPACITY (LBS)	PART #	WT (LBS)	CAPACITY (LBS)	PART #	WT (LBS)
	(up to)													
36x36	5	7	7,000	L7-3636	67									
36x48	7	9	7,000	L7-3648	89	10,000	L10-3648	109						
36x60	10	12	7,000	L7-3660	111	10,000	L10-3660	136						
48x36	5	7	7,000	L7-4836	80	10,000	L10-4836	97	14,000	L14-4836	104	17,000	L17-4836	125
48x48	7	9	7,000	L7-4848	107	10,000	L10-4848	130	14,000	L14-4848	139	17,000	L17-4848	167
48x60	10	12	7,000	L7-4860	133	10,000	L10-4860	162	14,000	L14-4860	174	17,000	L17-4860	209
60x36	5	7	7,000	L7-6036	93	10,000	L10-6036	113	14,000	L14-6036	120	17,000	L17-6036	146
60x48	7	9	7,000	L7-6048	124	10,000	L10-6048	151	14,000	L14-6048	160	17,000	L17-6048	195
60x60	10	12	7,000	L7-6060	155	10,000	L10-6060	188	14,000	L14-6060	200	17,000	L17-6060	244
60x72	12	18	5,000	L5-6072	193				12,000	L12-6072	248	15,000	L15-6072	300
72x36	5	7	5,000	L5-7236	106				12,000	L12-7236	136	15,000	L15-7236	167
72x48	7	9	5,000	L5-7248	141				12,000	L12-7248	181	15,000	L15-7248	223
72x60	10	12	5,000	L5-7260	177				12,000	L12-7260	226	15,000	L15-7260	279
72x72	12	18							10,000	L10-7272	279	12,000	L12-7272	342

Other sizes available. **NOTE:** An 11" lip is standard. Other lip lengths are available at no additional cost. An 11" bend is standard. Other bend angles are available at no additional cost. All curbs 4" high. Refrigerated trailers require RT option.

	Maximum Height Differences (In.)																		
Bend Angle	1	2	3	4	5	5.5	6	7	8	8.5	9	10	11	12	13	14	15	16	
8 Degrees (14% Grade)			30	36	42	48	54	60	66	72	78	84	90						
11 Degrees (19% Grade)				30	36			42	48			54	60	66	72	78	84	90	96

Accessories: Lifting Chains are heavy duty chains attached to the dockboard curbs for easy forklift truck lifting and moving.

# Aluminum Truck Dockplates



- **High-Traction, Safety Treadplate Surface** gives positive traction for equipment and safe footing for personnel.
- **Safety Locking Legs** allow for quick field repair. Zinc finish helps prevent chipping, peeling and corrosion. Easily reversed for refrigerated trucks.
- **Handles** provide easy lifting and moving by personnel. Recommended to meet OSHA requirements. Patented design.
- **Engineered Bend** keeps the edges of the dockplate flush with both dock and truck.
- **Beveled Edges** provide smooth entry and exit.

**1-Year Warranty**

## Dockplate Size and

### Specification Chart

Specification Chart			EL SERIES			E SERIES			EH SERIES		
SIZE (W x L)	MAX HT. DIFF (IN)	LEG LENGTH (IN)	CAPACITY (LBS)	PART #	WT (LBS)	CAPACITY (LBS)	PART #	WT (LBS)	CAPACITY (LBS)	PART #	WT (LBS)
	(up to)										
30x24	3	7	2,196	EL-3024	42	3,000	E-3024	46	5,200	EH-3024	55
30x30	4	7	1,757	EL-3030	47	2,300	E-3030	53	4,100	EH-3030	64
30x36	5	7	1,464	EL-3036	53	1,800	E-3036	60	3,500	EH-3036	72
30x48	7	9	1,098	EL-3048	68	1,400	E-3048	76	2,600	EH-3048	94
36x24	3	7	2,636	EL-3624	46	3,600	E-3624	51	6,200	EH-3624	62
36x30	4	7	2,108	EL-3630	53	3,000	E-3630	58	5,100	EH-3630	72
36x36	5	7	1,757	EL-3636	59	2,500	E-3636	68	4,300	EH-3636	82

36x48	7	9	1,318	EL-3648	76	1,900	E-3648	87	3,000	EH-3648	108
42x24	3	7	3,075	EL-4224	51	4,300	E-4224	57	7,200	EH-4224	68
42x30	4	7	2,460	EL-4230	58	3,300	E-4230	64	5,900	EH-4230	81
42x48	7	9	1,537	EL-4248	85	2,100	E-4248	96	3,500	EH-4248	123
48x24	3	7	3,514	EL-4824	55	5,200	E-4824	62	8,200	EH-4824	75
48x30	4	7	2,811	EL-4830	64	4,100	E-4830	72	6,300	EH-4830	90
48x36	5	7	2,343	EL-4836	72	3,500	E-4836	83	5,300	EH-4836	104
48x42	6	9	2,008	EL-4842	85	3,000	E-4842	96	4,300	EH-4842	122
48x48	7	9	1,757	EL-4848	94	2,600	E-4848	107	3,800	EH-4848	137
48x54	8	12				2,200	E-4854	121	3,300	EH-4854	154
48x60	9	12				1,800	E-4860	132	2,900	EH-4860	168
54x24	3	7	3,953	EL-5424	59	5,400	E-5424	65	9,100	EH-5424	83
54x30	4	7	3,163	EL-5430	69	4,300	E-5430	78	7,100	EH-5430	99
54x36	5	7	2,636	EL-5436	79	3,700	E-5436	90	5,300	EH-5436	114
54x48	7	9	1,977	EL-5448	103	2,600	E-5448	118	4,200	EH-5448	150
54x60	9	12				2,000	E-5460	146	3,400	EH-5460	185
60x24	3	7	4,393	EL-6024	64	5,700	E-6024	71	10,000	EH-6024	90
60x30	4	7	3,514	EL-6030	75	4,600	E-6030	85	7,800	EH-6030	108
60x36	5	7	2,928	EL-6036	85	4,100	E-6036	98	6,600	EH-6036	125
60x42	6	9	2,510	EL-6042	100	3,500	E-6042	115	5,500	EH-6042	148
60x48	7	9	2,196	EL-6048	111	2,900	E-6048	129	4,800	EH-6048	164
60x54	8	12				2,400	E-6054	146	4,100	EH-6054	189
60x60	9	12				2,000	E-6060	160	3,700	EH-6060	203
72x30	4	7	4,217	EL-7230	85	5,400	E-7230	98	9,500	EH-7230	125